



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted(W)
Gravity-fed SINGLE-FLUSH High-Efficiency PREMIUM Toilet Models									
39-032	American Standard	H2Optimum UHET SF EL	288CA.114: 3706.216 bowl, 4133A.114 tank	2	12	E			F
39-033	American Standard	H2Optimum UHET SF EL ADA	288AA.114: 3705.216 bowl, 4133A.114 tank	2	12	E	ADA		F
39-031	American Standard	H2Optimum UHET SF RF	288DA.114: 3708.216 bowl, 4133A.114 tank	2	12	R			F
38-001	AmGreen	None EL	AG25B bowl, AG20T tank	2	12	E			F
38-002	AmGreen	None RF	AG20B bowl, AG20T tank	2	12	R			F
39-036	Bath-tech Industrial	Chicago EL ADA (NOTE: 1.0g/3.8L single-flush fixture)	Z59E16S22338: Z59E16 bowl, S22338 tank	2	12	E	ADA		F
23-031RN39	Bath-tech Industrial	Edmonton RF	Z88R15 bowl, S8803 tank	2	12	R			F
39-037	Bath-tech Industrial	Miami EL ADA (NOTE: 1.0g/3.8L single-flush fixture)	Z59E16S11338: Z59E16 bowl, S11338 tank	2	12	E	ADA		F
39-035	Bath-tech Industrial	Miami RF ADA (NOTE: 1.0g/3.8L single-flush fixture)	Z59R16S11338: Z59R16 bowl, S11338 tank	2	12	R	ADA		F
39-034 & 23-032RN39	Bath-tech Industrial	Portland RF ADA	Z59R16S22338: Z59R16 bowl, S22338 tank	2	12	R	ADA		F
38-034	Cascadian Sanitary Ware	None EL	C202 bowl, T201 tank	2	12	E			F
38-035	Cascadian Sanitary Ware	None RF	C201 bowl, T201 tank	2	12	R			F
33-023, 24-071 & 16-135	Contrac	Cadell RF	5730BFVU: B5730BFVU bowl, T5730BFVU tank (available Canada only)	2	12	R			F
36-064	Contrac	Cadell RF	5730BFXU: 5732BFX bowl, 5731BFXU tank (available Canada only)	2	12	R			F
24-073RN40	Contrac	Cadell RF (lined tank)	5730BFV: B5730BFV bowl, T5730BFV tank (lined) (available Canada only)	2	12	R	ADA		F
36-065	Contrac	Cadell RF (lined tank)	5730BFX: 5732BFX bowl, 5731BFX tank (lined) (available Canada only)	2	12	R			F
34-027, 24-070 & 16-093	Contrac	Case EL ADA	5730BOVU: B5730BOVU bowl, T5730BOVU tank (available Canada only)	2	12	E	ADA		F
36-060	Contrac	Case EL ADA	5730BOXU: 5732BOX bowl, 5731BFXU tank (available Canada only)	2	12	E	ADA		F
24-074RN40	Contrac	Case EL ADA (lined tank)	5730BOV: B5730BOV bowl, T5730BOV tank (lined) (available Canada only)	2	12	E	ADA		F
36-061	Contrac	Case EL ADA (lined tank)	5730BOX: 5732BOX bowl, 5731BFX tank (lined) (available Canada only)	2	12	E	ADA		F
36-066	Contrac	Cato EL	5730BEXU: 5732BEX bowl, 5731BFXU tank (available Canada only)	2	12	E			F
24-075RN40	Contrac	Cato EL (lined tank)	5730BEV: B5730BEV bowl, T5730BEV tank (lined) (available Canada only)	2	12	E			F
36-067	Contrac	Cato EL (lined tank)	5730BEX: 5732BEX bowl, 5731BFX tank (lined) (available Canada only)	2	12	E			F
33-022, 24-069 & 16-134	Contrac	Cato EL)	5730BEVU: 5730BEVU bowl, T5730BEVU tank (available Canada only)	2	12	E			F
24-072RN40	Contrac	Clancy RF ADA	5730BIV: B5730BIV bowl, T5730BIV tank (available Canada only)	2	12	R	ADA		F
34-028 & 16-094RN32	Contrac	Clancy RF ADA	5730BIVU: B5730BIVU bowl, T5730BIVU tank (available Canada only)	2	12	R	ADA		F
36-062	Contrac	Clancy RF ADA	5730BIXU: 5732BIX bowl, 5731BFXU tank (available Canada only)	2	12	R	ADA		F
36-063	Contrac	Clancy RF ADA (lined tank)	5730BIX: 5732BIX bowl, 5731BFX tank (lined) (available Canada only)	2	12	R	ADA		F
38-034	CYI Industry Limited	None EL	C202 bowl, T201 tank	2	12	E			F
38-035	CYI Industry Limited	None RF	C201 bowl, T201 tank	2	12	R			F
43-002	Evergreen Smart Energy	Humble Bee EL ADA	EG25HSWH bowl, EG20TSWH tank	2	12	E	ADA		F
38-002	Evergreen Smart Energy	Humble Bee RF	EG20BSWH bowl, EG20TSWH tank	2	12	R			F
38-001	Evergreen Smart Energy	Humble Bee EL	EG25SWH bowl, EG20TSWH tank	2	12	E			F
35-006, 24-027 & 21-019	Foremost	None EL (lined tank)	A01-00577E*L: LL-775E bowl, T1-005*L tank (lined) (available Canada only)	2	12	E			F
35-012, 24-066 & 16-092	Foremost	None EL ADA	A01-005887E: LL-887E bowl, T1-005 tank	2	12	E	ADA		F
24-064 & 16-089	Foremost	None EL ADA (lined tank)	A01-005887E*L: LL-887E bowl, T1-005*L tank (lined) (available Canada only)	2	12	E	ADA		F
32-047	Foremost	None HET EL	LL-775E* bowl, T-006 tank	2	12	E			F
35-013	Foremost	None HET EL ADA	LL-887E* bowl, T-006-* tank	2	12	E	ADA		F
32-046	Foremost	None HET RF	LL-775E* bowl, T-006 tank	2	12	R			F



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted(W)
35-007, 24-067 & 21-018	Foremost	None RF (lined tank)	AO1-005775R*L: LL-775R bowl, T1-005*L tank (lined) (available Canada only)	2	12	R			F
24-065 & 16-091	Foremost	None RF ADA (lined tank)	AO1-005887R*L: LL-887R bowl, T1-005*L tank (lined) (available Canada only)	2	12	R	ADA		F
35-011 & 24-026	Foremost	Solar RF (lined tank)	TL-8057-*L: LL-8057 bowl, T-8057-*L tank (lined) (available Canada only)	2	12	R			F
24-024RN40	Foremost	Total Toilet Ease EL ADA (lined tank)	TT-8296-*L: LL-8296 bowl, T-8296-*L tank (lined) (available Canada only)	2	12	E	ADA		F
38-040	HCG - Hocheng	None EL	C3016 (one-piece) NOTE: 0.8g/3.0L flush	1	12	E			F



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. **OR** those **other installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
37-015	Hennessy & Hinchcliffe	Proficiency RF	N7716SR: N7716SR bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	10	R			F
38-040	Hennessy & Hinchcliffe	Proficiency EL	N7721 (one-piece by HCG) (NOTE: 0.8g/3.0L single-flush fixture)	1	12	E			F
22-026RN38, 17-024 & 14-002	Hennessy & Hinchcliffe	Proficiency EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	12	E	ADA		F
37-014	Hennessy & Hinchcliffe	Proficiency EL ADA	N7717SR: N7717SR bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	10	E	ADA		F
36-047 & 23-023	Hennessy & Hinchcliffe	Proficiency EL ADA	N7799: N7799 bowl, N7714T tank NOTE: 3.6L/0.95-gal flush (rear outlet bowl)	2	N.A.	E	ADA	R	F
37-012, 23-079, 17-024, 14-003	Hennessy & Hinchcliffe	Proficiency RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	12	R	ADA		F
31-049	Hennessy & Hinchcliffe	Proficiency RF ADA	N7710: N7716 bowl, N7710T tank NOTE: 3L/0.8-gal flush	2	10	R	ADA		F
22-026RN38, 21-078 & 14-002	Home Depot	Glacier Bay (Stealth) EL ADA	SKU 169-564 (selected regions in the U.S.) and 674-753 (Canada): N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (by Niagara)	2	12	E	ADA		F
35-006, 24-027 & 21-019	Home Depot	Glacier Bay EL (lined tank)	SKU 822-557 (by Foremost): LL-775E bowl, T1-005*L tank (lined) (available Canada only)	2	12	E			F
37-004	Home Depot	Glacier Bay EL ADA	SKU 251-582: N2410EB bowl, N2410T tank	2	12	E	ADA		F
24-028 & 16-142	Home Depot	None EL	SKU 173-239 - Foremost Model AO1-005775E: LL-775E bowl, T1-005 tank	2	12	E			F
18-041RN34	Home Depot	Stealth EL ADA	SKU 263-564 (by Niagara): N7717 bowl, N7714 tank - NOTE: 3L/0.8-gal flush - toilet sold as All-In-One (AIO) package.	2	12	E	ADA		F
42-013	Kohler	Highline Classic EL	K-5299: 5297 bowl, 5307 tank	2	12	E			F
42-012	Kohler	Highline Flair EL	K-5298: 5297 bowl, 5308 tank	2	12	E			F
38-001	Leza	None EL	HM25SWH bowl, HM20TSWH tank	2	12	E			F
38-002	Leza	None RF	HM20BSWH bowl, HM20TSWH tank	2	12	R			F
43-002	Leza	None EL ADA	HM25HSWH bowl, HM20TSWH tank	2	12	E	ADA		F
37-004	Niagara	Glacier Bay EL ADA	N2410E: N2410EB bowl, N2410T tank	2	12	E	ADA		F
38-040	Niagara	Stealth EL	N7711 (one-piece) NOTE: 0.8g/3.0L flush	1	12	E			F
22-026RN38 & 21-078	Niagara	Stealth EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Available at Home Depot as Glacier Bay model)	2	12	E	ADA		F
40-006, 18-041RN34	Niagara	Stealth EL ADA	N7717/N7714: N7717 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77000 - Available Home Depot with SKU 263-564	2	12	E	ADA		F
37-016	Niagara	Stealth EL ADA	N772714E: N7727EB bowl, N7714 tank - NOTE: 3L/0.8-gal flush	2	10	E	ADA		F
37-014	Niagara	Stealth EL ADA	N772715E: N7727EB bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	10	E	ADA		F
36-047	Niagara	Stealth EL ADA	N7799-NCC: N7799 bowl, N7714T tank (rear outlet bowl)	2	N.A.	E	ADA	R	F
37-015	Niagara	Stealth RF	N772615R: N7726RB bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	10	R			F
37-017	Niagara	Stealth RF	N772614R: N7726RB bowl, N7714 tank - NOTE: 3L/0.8-gal flush	2	10	R			F
37-013 & 17-048RN33	Niagara	Stealth RF ADA	77001RWHA11 (sold as All-In-One package) NOTE: 3L/0.8-gal flush. Available at Home Depot as SKU 734-553	2	12	R	ADA		F
37-012, 23-079, 17-024 & 14-003	Niagara	Stealth RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	2	12	R	ADA		F
37-013 & 17-048RN33	Niagara	Stealth RF ADA	N7716R: N7716 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77002	2	12	E	ADA		F
35-012	OSH - Orchard Supply Hardware	None HET EL ADA	SKU #7060171 - LL-887E* bowl, T1-005-* tank (by Foremost)	2	12	E	ADA		F
37-029	PROFLO (Ferguson)	None EL ADA	PF9803 bowl, PF9810 tan (NOTE: 3L/0.8-gal flush)	2	10	E	ADA		F
37-030	PROFLO (Ferguson)	None EL ADA	PF9803 bowl, PF9812 tank (NOTE: 3L/0.8-gal flush)	2	12	E	ADA		F
35-020	PROFLO (Ferguson)	None RF ADA	PF9800 bowl, PF9810 tank (NOTE: 3L/0.8-gal flush)	2	10	R	ADA		F
35-021	PROFLO (Ferguson)	None RF ADA	PF9800 bowl, PF9812 tank (NOTE: 3L/0.8-gal flush)	2	12	R	ADA		F
35-011 & 24-026	Rona	Solar RF (lined tank)	SKU#78195000 (Foremost TL-8057) (lined tank) (available Canada only)	2	12	R			F



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
32-047, 24-028 & 16-142	Seasons (HD Supply)	Keating HET EL	189881 bowl, 189880 tank (same as Foremost LL-775E bowl, T-006 unlined tank)	2	12	E			F
32-046, 24-029 & 16-141	Seasons (HD Supply)	Keating HET RF	749458 bowl, 189880 tank, (same as Foremost LL-775R bowl, T-006 unlined tank)	2	12	R			F
35-013	Seasons (HD Supply)	None HET EL ADA	710695 bowl, 189880 tank (by Foremost)	2	12	E	ADA		F
43-002	Spenca	None EL ADA	HM25HSWH bowl, HM20TSWH tank	2	12	E	ADA		F
38-002	Spenca	None RF	HM20BSWH bowl, HM20TSWH tank	2	12	R			F
38-001	Spenca	None EL	HM25SWH bowl, HM20TSWH tank	2	12	E			F
36-100	SSI-Sustainable Solutions International	None RF ADA	301381 bowl, 301380 tank	2	12	R	ADA		F
38-004	Toto	Carllyle II 1G EL ADA	CST614CUFG OR MS614114CUFG	1	12	E	ADA		F
27-006	Toto	Drake II 1G EL	CST454CUFG: C454CUFG bowl, ST453U tank	2	12	E			F
40-027	Toto	Drake II 1G - RF ADA	CST453CUF(G): C453CUF(G) bowl, ST453U tank	2	12	R	ADA		F
33-035	Toto	Ultramax II EL ADA (1-piece)	CST604CUF(G)	1	12	E	ADA		F
33-035	Toto	Ultramax II EL ADA (1-piece)	MS604114CUF(G)	1	12	E	ADA		F
38-005	Toto	Vespin II 1G EL ADA	CST474CUF: CT474CUFG bowl, ST453U tank	2	12	E	ADA		F



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
37-030	Tynan Plumbing	MacLair Ultra 0.8 EL ADA	4747: 0747 bowl, 1352 tank (NOTE: 3L/0.8-gal flush)	2	12	E	ADA		F
37-029	Tynan Plumbing	MacLair Ultra 0.8 EL ADA	4757: 0747 bowl, 1350 tank (NOTE: 3L/0.8-gal flush)	2	10	E	ADA		F
35-021	Tynan Plumbing	MacLair Ultra 0.8 RF ADA	4742: 0742 bowl, 1352 tank (NOTE: 3L/0.8-gal flush)	2	12	R	ADA		F
35-020	Tynan Plumbing	MacLair Ultra 0.8 RF ADA	4752: 0742 bowl, 1350 tank (NOTE: 3L/0.8-gal flush)	2	10	R	ADA		F
40-005	Vortens	Oken 1G EL	3149-3449: 3149 bowl, 3449 tank	2	12	E	ADA		F
38-003	Vortens	Oken 1G RF	3249-3449: 3249-V bowl, 3449-V tank	2	12	R			F
31-024	Western Pottery	None RF	W8270: B722 bowl, T7ULF tank (1.0 gal) (by Zhangzhou)	2	12	R			F
18-041RN34	Your Other Warehouse (subsid. of Home Depot)	Stealth EL ADA	SKU 684-143 (by Niagara): N7717 bowl, N7714 tank - NOTE: 3L/0.8-gal flush - toilet sold as All-In-One (AIO) package.	2	12	E	ADA		F

- NOTES: (1) "Effective Flush Volume" (EFV) is the water consumption as rated when certified to Federal requirements.
 (2) All MaP PREMIUM toilets must meet a minimum solid waste removal threshold of 600 grams (about 21 ounces) in one flush.
 (3) All MaP PREMIUM toilets are certified to the U.S. EPA WaterSense® specification.

KEY:	RF - Round-front toilet bowl	EL - Elongated-front toilet bowl	gpf - Gallons per Flush	ADA - Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.
------	------------------------------	----------------------------------	-------------------------	--



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those **other installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
Gravity-fed and Electro-Hydraulic DUAL-FLUSH High-Efficiency PREMIUM Toilet Models (maximum full flush volume: 1.28 gallons/4.8 litres)									
38-038	American Standard	Cadet Ultra Low Dual Flush EL ADA	740AA.200: 3218A.001B bowl, 4133A.200R tank	2	12	E	ADA		F
32-037	American Standard	Cosette EL Dual Flush (one-piece)	750CA.200 (one-piece)	1	12	E			F
39-029	American Standard	H2Option UHET DF EL	2887.218: 3706.216 bowl, 4133A.218 tank	2	12	E			F
40-018	American Standard	H2Option UHET DF EL (lined tank)	2887.518: 3706.216 bowl, 4133A.518 tank (lined)	2	12	E			F
38-038	American Standard	H2Option UHET DF EL ADA	2886.218: 3705.216 bowl, 4133A.218 tank	2	12	E	ADA		F
40-020	American Standard	H2Option UHET DF EL ADA (lined tank)	2886.518: 3705.216 bowl, 4133A.518 tank (lined)	2	12	E	ADA		F
39-030	American Standard	H2Option UHET DF RF	2889.218: 3708.216 bowl, 4133A.218 tank	2	12	R			F
40-019	American Standard	H2Option UHET DF RF (lined tank)	2889.518: 3708.216 bowl, 4133A.518 tank (lined)	2	12	R			F
23-030RN39	Bath-tech Industrial	Ottawa RF	Z15R15 bowl, S23348 tank	2	12	R			F
23-034RN39	Bath-tech Industrial	Ottawa RF ADA	Z59R16 bowl, S23348 tank	2	12	R	ADA		F
35-025	Caroma	Caravelle Smart One-Piece EL ADA	989900 (one-piece - see NOTE below)	1	ADJ	E	ADA		F
14-035RN36	Caroma	Profile Smart 305 RF	609151A bowl, 840420 tank 609151A bowl, 840420 tank (NOTE: tank lid contains a lavatory sink that drains to the tank)	2	12	R			F
29-031	Caroma	Somerton 270 EL	829108 bowl, 810788 tank (see NOTE below)	2	ADJ	E			F
13-121RN28	Caroma	Sydney Smart 270 EL ADA	609120 bowl, 622322 tank (see NOTE below)	2	ADJ	E	ADA		F
30-071 & 14-036	Caroma	Sydney Smart 305 EL	609130 bowl, 622322 tank	2	12	E			F
32-112	Caroma	Sydney Smart II 305 EL ADA	305102 bowl, 302100 tank	2	12	E	ADA		F
32-113	Caroma	Sydney Smart II 305 RF ADA	305101 bowl, 302100 tank	2	12	R	ADA		F
14-026RN36	Caroma	Sydney Smart RF (Rear Outlet bowl)	609450 bowl, 622322 tank (see NOTE below)	2	N.A.	R		R	F
36-058	Contrac	Camri EL	4722BLWU: 4722BLW bowl, 4721BPWU tank (avail Canada only)	2	12	E			F
36-059	Contrac	Camri EL (lined tank)	4722BLW: 4722BLW bowl, 4721BPW tank (lined) (avail Canada only)	2	12	E			F
26-003RN42	Contrac	Canby EL (one-piece)	5710BEX (one-piece) (lined) (available Canada only)	1	12	E			F
26-004RN42	Contrac	Canby EL (one-piece)	5710BEXU (one-piece) (available Canada only)	1	12	E			F
34-008	Contrac	Carson RF	4720BPWU: 4722BPW bowl, 4721BPWU tank (avail Canada only)	2	12	R			F
34-009	Contrac	Carson RF (lined tank)	4720BPW: 4722BPW bowl, 4721BPW tank (avail Canada only)	2	12	R			F
26-005RN42	Contrac	Claire RF (one-piece)	5710BFX (one-piece) (lined) (available Canada only)	1	12	R			F
26-006RN42	Contrac	Claire RF (one-piece)	5710BFXU (one-piece) (available Canada only)	1	12	R			F
36-056	Contrac	Cullen EL ADA	4722BNWU: 4722BNW bowl, 4721BPWU tank (avail Canada only)	2	12	E	ADA		F
36-057	Contrac	Cullen EL ADA (lined tank)	4722BNW: 4722BNW bowl, 4721BPW tank (lined) (available Canada only)	2	12	E	ADA		F
39-012	Contrac	Kiera EL ADA (one-piece - lined tank)	4710BNW (one piece - lined tank - skirted bowl)	1	12	E	ADA		F
39-011	Contrac	Kiera EL ADA (one-piece)	4710BNWU (one piece - skirted bowl)	1	12	E	ADA		F
33-031	Duravit	Senso Wash I EL	620000 00 1001 300 (Electro-hydraulic)	2	12	E			F
32-037	Eljer	Cosette EL Dual Flush (one-piece)	081-0600 (one-piece)	1	12	E			F
34-025	Foremost	Asbury EL ADA (one-piece - lined tank)	TL-8190- *L (one-piece - lined tank) (available Canada only)	1	12	E	ADA		F
24-058RN40	Foremost	Dietrich RF (lined tank)	TL-7235- *L: LL-7235 bowl, T-7235- *L tank (lined) (avail Canada only)	2	12	R			F
33-021	Foremost	Manara EL (lined tank)	TL-8272E- *L: LL-8272E bowl, T-8272- *L tank (lined) (avail Canada only)	2	12	E			F
34-026	Foremost	Markell RF ADA (lined tank)	TL-8143- *L: LL-8143 bowl, T-8143 tank (lined) (avail Canada only)	2	12	R	ADA		F
42-003	Foremost	None EL ADA dual flush	TL-8483HC-EWL (lined tank)	1	12	E	ADA		F
36-051	Foremost	None HET EL ADA (one Piece)	TL-6115HC (one piece)	1	12	E	ADA		F
28-027	Foremost	HET RF (lined tank)	TL-8142- *L: LL-8142 bowl, T-8142 lined tank (avail Canada only)	2	12	R			F
30-066	Hennessy & Hinchcliffe	Proficiency EL ADA	N71714E-DF-HH: N7717EB-DF bowl, N7714T-DF tank	2	12	E	ADA		F
36-051	Home Depot	Schen EL ADA (one-piece)	SKU 692399 (Foremost TL6115-HC) black color	1	12	E	ADA		F



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. **OR** those **other installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
36-051	Home Depot	Schon EL ADA (one-piece)	SKU 692400 (Foremost TL6115-HC) biscuit color	1	12	E	ADA		F
36-051	Home Depot	Schon EL ADA (one-piece)	SKU 692402 (Foremost TL6115-HC) white color	1	12	E	ADA		F
30-066	Niagara	Stealth EL ADA Dual Flush	N771714E-DF: N7717EB-DF bowl, N7714T-DF tank	2	12	E	ADA		F
34-025	Rona	Asbury EL ADA (one-piece - lined tank)	SKU#78195026 (Foremost TL-8190-*L) (one-piece - lined tank) (available Canada only)	1	12	E	ADA		F
28-027	Rona	Avitus RF (lined tank)	SKU#78195011 (Foremost TL-8142-*L - lined tank) (avail Canada only)	2	12	R			F
34-026	Rona	Markell RF ADA (lined tank)	SKU#78195028 (Foremost TL-8143-*L) (available Canada only)	2	12	R	ADA		F
36-051	Schön-Simply Modern (by Home Depot - YOW-Your Other Warehouse)	None HET EL ADA (one-piece)	TL-6115HC (one-piece by Foremost)	1	12	E	ADA		F
40-029	Toto	Dual Max - EL ADA (wall-mount)	CWT437MF(G)-3: CT437F(G) bowl, WT153M in-wall tank	1	N.A.	E	ADA	R	W
40-029	Toto	Dual Max - EL ADA (wall-mount)	CWT437MF(G)-4: CT437F(G) bowl, WT154M in-wall tank	1	N.A.	E	ADA	R	W
40-025	Toto	G400 EL (12-inch rough-in)	MS920CEMF(G): CT920CEMF(G) bowl, SN920M top	1	12	E			F
40-026	Toto	Neorest 500H EL (12-inch rough-in)	MS952CUM(G): CT952CUM(G) bowl, SN952M top	1	12	E			F
ROUGH-IN DIMENSIONS:		ADJ - Adjustable rough-in; may be installed with either 10-inch or 12-inch rough-in N.A. - Horizontal rough-in dimension is not applicable; toilet model is a rear-outlet fixture							
SPECIAL NOTE FOR DUAL FLUSH MODELS:		The Effective Flush Volume (EFV) for dual-flush fixtures is calculated as the average of 1 reduced flush and 1 full flush.							



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS**. OR those **other installations** where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted (W)
Pressure-Assist <i>SINGLE FLUSH</i> High-Efficiency PREMIUM Toilet Models									
25-039RN41	American Standard	Cadet FloWise Pressure-Assist EL ADA	2467.100: 3483.100 OR 3483.001 bowl, 4142.100 tank	2	12	E	ADA		F
24-104RN40	American Standard	Cadet Pressure-Assist EL	2462.100: 3481.100 OR 3481.001 bowl, 4142.100 tank	2	12	E			F
25-036 & 10-127RN22	American Standard	Yorkville FloWise Pressure-Assist EL (rear outlet bowl)	2876.100: 3701.100 OR 3701.001 bowl, 4142.100 tank	2	N.A.	E		R	F
25-038RN41	American Standard	Yorkville FloWise Pressure-Assist EL ADA (rear discharge)	2878.100: 3703.100 OR 3703.001 bowl, 4142.100 tank (rear outlet bowl)	2	N.A.	E	ADA	R	F
19-089RN35	Contrac	Chane EL ADA	5720BMY: 5722BMY bowl, 5721BOY tank (available Canada only) (rear outlet bowl)	2	12	E	ADA	R	F
21-017RN37	Contrac	Cleo EL ADA	5720BOY: B5722BOY bowl, T5721BOY tank (available Canada only)	2	12	E	ADA		F
12-036RN26	ECO-FITT (by Niagara)	Power One EL	N2310: 2310B bowl, 2310T tank	2	12	E			F
15-100RN31	Foremost	None EL ADA	AO4-215177E: LL-177E bowl, T4-215 tank (available Canada only)	2	12	E	ADA		F
33-003 & 15RN	Gerber	Ultra Flush 1.1 EL	EF-21-312: 21-372 bowl, EF-28-380 tank	2	12	E			F
33-004 & 15RN	Gerber	Ultra Flush 1.1 EL ADA	EF-21-318: 21-377 bowl, EF-28-380 tank	2	12	E	ADA		F
33-006 & 15RN	Gerber	Ultra Flush 1.1 EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank (rear outlet bowl)	2	N.A.	E	ADA	R	F
16-150RN32	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	2	12	R			F
16-154RN	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	2	14	R			F
15-100	Home Depot	Glacier Bay EL ADA (NOTE: This fixture flushes with 1.0-gal / 3.8 Litres of water)	SKU 303-774 (by Foremost): 303-774 bowl, 303-774 tank	2	12	E	ADA		F
12-036RN26	Home Depot	Power One EL	SKU 385-195 Available in selected Home Depot regions (Also available as Niagara N2310: 2310B bowl, 2310T tank)	2	12	E			F
7-509RN36	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	2	12	E	ADA		F
12-024RN26RN42	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	1	12	E	ADA		F
7-508RN36	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	2	12	E			F
10-121RN22-38	Mansfield	QuantumOne EL	147 bowl, 153 tank	2	12	E			F
10-119RN22-38	Mansfield	QuantumOne EL	149 bowl, 153 tank	2	N.A.	E		R	F
11-070RN24RN40	Mansfield	QuantumOne EL ADA	144 bowl, 153 tank	2	12	E	ADA	R	W
10-120RN22-38	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	2	12	E	ADA		F
27-022	Mansfield	QuantumOne EL ADA (Floor Mount, Rear Outlet)	151-153: 151 bowl, 153 tank (rear outlet bowl)	2	N.A.	E	ADA	R	F
10-122RN22-38	Mansfield	QuantumOne RF	146 bowl, 153 tank	2	12	R			F
12-036RN26	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	2	12	E			F
15-076RN31	Niagara	PowerOne RF	N2310R: N2310R bowl, N2310T tank	2	12	R			F
28-066 & 14-040	PROFLO (Ferguson brand)	None EL	PF1601PA bowl, PF1612PA tank (left-hand lever)	2	12	E			F
28-068 & 19-077	PROFLO (Ferguson brand)	None EL	PF1605PA bowl (rear outlet), PF1612PA tank (left-hand lever)	2	12	E		R	F
28-067 & 14-041	PROFLO (Ferguson brand)	None EL ADA	PF1603PA bowl, PF1612PA tank (left-hand lever)	2	12	E	ADA		F
28-060	PROFLO (Ferguson brand)	None EL ADA	PF1606PA bowl (rear outlet), PF1612PA tank (left-hand lever)	2	12	E	ADA	R	F
28-065 & 19-047	PROFLO (Ferguson brand)	None RF	PF1600PA bowl, PF1612PA tank (left-hand lever)	2	12	R			F
28-059	PROFLO (Ferguson brand)	None RF	PF1604PA bowl (rear outlet), PF1612PA tank (left-hand lever)	2	12	R		R	F
15-100RN31	Seasons (HD Supply)	Hawthorne EL ADA	564-856 bowl, 564-854 tank	2	12	E	ADA		F
19-089RN35	Seasons (HD Supply)	Hawthorne EL ADA	564-814 bowl, 564-854 tank	2	12	E	ADA	R	F
28-066 & 14-031	Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	2	12	E			F
28-068 & 19-077	Tynan Plumbing	Louth EL	4530: 7530 bowl (rear outlet), 1712 tank	2	12	E		R	F
28-067 & 14-032	Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	2	12	E	ADA		F

© 2004-2016 Gauley Associates, Ltd. and Kohler and Company,



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

October 13, 2016

MaP Test Report Number (internal use)	Brand Name	Toilet Model Name	Toilet Model Numbers	1- or 2-piece	Horizontal Rough-in (inches)	Round (R) or Elong-gated (E) bowl	ADA Height Bowl	Rear (Back) Outlet	Floor- (F) OR Wall-Mounted(W)
28-060	Tynan Plumbing	Louth EL ADA	4532: 7525 bowl (rear outlet), 1712 tank	2	12	E	ADA	R	F
28-065 & 19-047	Tynan Plumbing	Louth RF	4500: 7508 bowl, 1712 tank	2	12	R			F
28-059	Tynan Plumbing	Louth RF	4531: 7520 bowl (rear outlet), 1712 tank	2	12	R		R	F
17-054RN33	VitrA	Evergreen EL ADA	5065 bowl, 5066 tank	2	12	E	ADA		F
8-553RN19RN36	Vortens	Tornado EL ADA	3134-3468: 3134-V Bowl, 3468-V Tank	2	12	E	ADA		F
12-12ORN26 & 10-117	Western Pottery	None One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	2	11	E			F
16-111RN32	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	2	12	E			F
16-114RN32	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	2	12	E	ADA		F

DISCLAIMER: The information presented in the three (3) tables above has been gathered from sources deemed to be reliable. However, the authors make no guarantee as to its correctness, accuracy, completeness, or current status. Readers are encouraged to perform their own research at the WaterSense website, the MaP-testing.com website, manufacturer websites, and other sources.