

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Abutilon palmeri</b>	<b>INDIAN MALLOW</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Acer buergerianum</b>	<b>TRIDENT MAPLE</b>	<b>2</b>	<b>T</b>		✓			<b>H</b>
<b>Acer buergerianum var. formosanum</b>	<b>TRIDENT MAPLE</b>	<b>2</b>	<b>T</b>		✓			
<b>Acer circinatum</b>	<b>VINE MAPLE</b>	<b>2</b>	<b>S</b>	✓	✓	✓	✓	
<b>Acer macrophyllum</b>	<b>BIG LEAF MAPLE</b>	<b>2</b>	<b>T</b>	✓	✓			<b>L</b>
<b>Acer negundo var. californicum</b>	<b>BOX ELDER</b>	<b>2</b>	<b>T</b>	✓	✓			
<b>Achillea clavennae</b>	<b>SILVERY YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium 'Borealis'</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium 'Colorado'</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium 'Paprika'</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium 'Red Beauty'</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea millefolium 'Summer Pastels'</b>	<b>COMMON YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea 'Salmon Beauty'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	<b>M</b>
<b>Achillea taygetea</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Achillea 'Terracotta'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Achillea tomentosa 'King George'</b>	<b>WOLLY YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Achillea tomentosa 'Maynard's Gold'</b>	<b>WOLLY YARROW</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Achillea x kellereri</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Achnatherum hymenoides</b>	<b>INDIAN RICEGRASS</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Adenanthos sericeus</b>	<b>WOOLYBUSH</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Adenostoma fasciculatum</b>	<b>CHAMISE</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Adenostoma fasciculatum 'Black Diamond'</b>	<b>CHAMISE</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Adenostoma fasciculatum 'Santa Cruz Island'</b>	<b>CHAMISE</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Adiantum jordnair</b>	<b>CALIFORNIA MAIDENHAIR FIVE -FINGER FERN, WESTERN</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Adiantum pedatum</b>	<b>MAIDENHAIR FIVE -FINGER FERN, WESTERN</b>	<b>2</b>	<b>P</b>	✓	✓	✓	✓	
<b>Adiantum pedatum var. aleuticum</b>	<b>MAIDENHAIR</b>	<b>2</b>	<b>P</b>	✓	✓	✓	✓	
<b>Aesculus californica</b>	<b>CALIFORNIA BUCKEYE</b>	<b>1</b>	<b>T</b>	✓		✓	✓	
<b>Aesculus californica 'Canyon Pink'</b>	<b>CALIFORNIA BUCKEYE</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	
<b>Aethionema armenum 'Warley Rose'</b>	<b>STONECRESS</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus africanus</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	<b>L</b>
<b>Agapanthus africanus 'Peter Pan'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus africanus 'Peter Pan White'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus africanus 'Queen Anne'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus africanus 'Summer Gold'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus campanulatus ssp. campanulatus</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus caulescens</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus 'Dwarf Hybrids'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus inapertus</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus inapertus 'Major Hybrids'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus orientalis 'Tinkerbell'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus orientalis 'Winter Dwarf'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Agapanthus praecox</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Agapanthus praecox 'Dwarf White'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agapanthus praecox ssp. minimus</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agapanthus 'Rancho White'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agapanthus 'Storm Cloud'</b>	<b>LILY-OF-THE-NILE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agastache barberi</b>	<b>ARIZONA HUMMINGBIRD MINT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agastache cana</b>	<b>TEXAS HUMMINGBIRD MINT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agastache rupestris</b>	<b>LICORICE MINT, SUNSET HYSSOP</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agave americana 'Marginata'</b>	<b>CENTURY PLANT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agave americana ssp. americana var. picta</b>	<b>CENTURY PLANT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agave angustifolia</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave attenuata</b>	<b>FOXTAIL AGAVE</b>	<b>1</b>	<b>P</b>		√	√	√	<b>M</b>
<b>Agave 'Blue Flame'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave bovicornuta</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave bracteosa</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave celsii</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave cf. palmeri</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave chiapensis</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave colorata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave cupreata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave datylio var. datylio</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave deserti</b>	<b>DESERT AGAVE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Agave eggersiana</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave ferox</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave filifera</b>		<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Agave 'Joe Hoak'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave lophantha var. caerulescens</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave marginata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave marmorata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave parryi</b>	<b>PARRY'S AGAVE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Agave parryi var. huachucensis</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave parva 'Picta'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave parviflora</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave patonii</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave potatorum</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave schidigera</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave schottii</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave sebastiana</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave seemanniana</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave shawii</b>	<b>SHAW'S AGAVE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Agave stricta</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Agave utahensis</b>	<b>UTAH AGAVE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Agave vilmoriniana</b>	<b>OCTAPUS AGAVE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Agave x (fernandi-regis x lechugilla)</b>		<b>1</b>	<b>P</b>		√	√	√	
	<b>PEPPERMINT TREE, AUSTRALIAN</b>							
<b>Agonis flexuosa</b>	<b>WILLOW</b>	<b>1</b>	<b>T</b>		√	√	√	
	<b>PEPPERMINT TREE, AUSTRALIAN</b>							
<b>Agonis flexuosa 'After Dark'</b>	<b>WILLOW</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Albizia julibrissin</b>	<b>SILK TREE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>L</b>

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Allium unifolium</b>	<b>ORNAMENTAL ONION</b>	<b>3</b>	<b>P</b>	√	√	√	√	
<b>Allocasuarina nana</b>	<b>CASURINA, SHE-OAK, BEEFWOOD</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Allocasuarina stricta</b>	<b>CASURINA, DROOPING SHE-OAK, BEEFWOOD</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Allocasuarina torulosa</b>	<b>CASURINA, SHE-OAK, BEEFWOOD</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Allocasuarina verticillata ssp. robusta</b>	<b>CASURINA, SHE-OAK, BEEFWOOD</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Alnus rhombifolia</b>	<b>WHITE ALDER</b>	<b>3</b>	<b>S</b>	√	√			<b>L</b>
<b>Alnus rubra</b>	<b>RED ALDER</b>	<b>3</b>	<b>S</b>	√	√			
<b>Aloe aculeata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe acutissima</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe acutissima var. antanimorensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe africana</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe alooides</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe ammophila</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe angelica</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe arborescens</b>	<b>TREE ALOE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>H</b>
<b>Aloe arborescens hybrid</b>		<b>1</b>	<b>T</b>		√	√	√	
<b>Aloe arborescens 'Variegata'</b>		<b>1</b>	<b>T</b>		√	√	√	
<b>Aloe arenicola</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe aristata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe bainesii</b>		<b>1</b>	<b>T</b>		√	√	√	
<b>Aloe barbadensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe barberae</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Aloe brevifolia</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Aloe brevifolia var. depressa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe broomii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe buhrii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe cameronii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe camperi</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe cheranganiensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe ciliaris</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe ciliaris f. tidmarshii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe classenii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe comosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe cremnophila</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe decaryi</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe dewetii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe dichotoma</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe dichotoma hybrid</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe divaricata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe dolomitica</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe dumetorum</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe elgonica</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe excelsa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe ferox</b>	<b>BITTER ALOE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe glauca</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe globuligemma</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe greenii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Aloe 'Hercules'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe humilis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe inyangense</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe inyangensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe kedongensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe komatensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe krapohlina</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe longibracteata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe longistyla</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe lutescens</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe marlothii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe marsabitensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe microstigma</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe mitriformis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe mudenensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe mundenensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe mutabilis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe nobilis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe nyeriensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe 'Orange Glow'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe parvula hybrid</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe peglerae</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe petricola</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe plicatilis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Aloe pluridens</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe polyphylla</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe porphyrostachys</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe powysiorum</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe pretoriensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe pruinosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe pseudorubroviolacea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe pubescens</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe reynoldsii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe rivierei</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe rubroviolacea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe rupestris</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe sabaia</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe saponaria</b>	<b>SOAP ALOE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe saponaria 'Variegata'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe schelpei</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe scobinifolia</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe sinkatana</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe sp. hybrid</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe speciosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe spicata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe squarrosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe striata</b>	<b>CORAL ALOE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe striatula</b>		<b>1</b>	<b>S</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Aloe succotrina</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe suprafoliata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe swynnertonii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe tenuior</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe thraskii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe transvaalensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe vacillans</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe vanbalenii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe vaombe</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe variegata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe vera</b>	<b>MEDICINAL ALOE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	<b>H</b>
<b>Aloe vryheidensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe x (ferox x arborescens)</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe x (flexilifolia x rubroviolacea)</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe x cameronii x vanbalenii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe x spinosissima</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Aloe yemenica</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Alyogyne hakeifolia</b>	<b>RED CENTERED HIBISCUS</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Alyogyne huegelii</b>	<b>BLUE HIBISCUS</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Amaryllis belladonna</b>	<b>BELLADONNA LILY, NAKED LADY</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Amaryllis belladonna hybrid</b>	<b>BELLADONNA LILY, NAKED LADY</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Ambrosia pumila</b>	<b>RAGWEED</b>	<b>3</b>	<b>P</b>	✓	✓	✓	✓	
<b>Anemopsis californica</b>	<b>YERBA MANSA</b>	<b>2</b>	<b>P</b>	✓	✓	✓	✓	
<b>Angelica californica</b>	<b>CALIFORNIA ANGELICA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<i>Angophora costata</i>	GUM MYRTLE	1	T		√	√	√	
<i>Anigozanthos 'Big Red'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos 'Bush Pearl'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos flavidus</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos 'Red Cross'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos 'Regal Claw'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos viridis</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos 'Yellow Gem'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anigozanthos 'Yellow Jumper'</i>	KANGAROO PAW	1	P		√	√	√	
<i>Anisodontea capensis</i>	PINK HIBISCUS	1	P		√	√	√	
<i>Anisodontea hypomandrum</i>	CAPE MALLOW	1	P		√	√	√	
<i>Anisodontea 'Tara's Pink'</i>	CAPE MALLOW	1	P		√	√	√	
<i>Aquilegia formosa</i>	WESTERN COLUMBINE	2	P	√	√	√		
<i>Aquilegia formosa var. truncata</i>	WESTERN COLUMBINE	2	P	√	√	√		
<i>Aquilegia pubescens</i>		2	P	√	√	√		
<i>Aralia californica</i>	ELK CLOVER	2	P	√	√	√	√	
<i>Arbutus andrachnoides</i>		1	T		√	√	√	
<i>Arbutus canariensis</i>		1	T		√	√	√	
<i>Arbutus 'Marina'</i>		1	T		√	√	√	M
<i>Arbutus menziesii</i>	MADRONE	1	T	√	√			
<i>Arbutus occidentalis</i>		1	T		√	√	√	
<i>Arbutus unedo</i>	STRAWBERRY TREE	1	T		√	√	√	M
<i>Arbutus unedo 'Compacta'</i>	STRAWBERRY TREE	1	S		√	√	√	L
<i>Arbutus unedo 'Elfin King'</i>	STRAWBERRY TREE	1	S		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Arbutus xalapensis</b>		<b>1</b>	<b>T</b>		√	√	√	
<b>Arctostaphylos (all species and cultivars)</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos andersonii</b>	<b>SANTA CRUZ MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos andersonii var. pallida</b>	<b>SANTA CRUZ MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos auriculata</b>	<b>MT. DIABLO MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos auriculata 'Diablo Blush'</b>	<b>MT. DIABLO MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos bakeri</b>	<b>BAKER'S MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos bakeri 'Louis Edmunds'</b>	<b>BAKER'S MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos bakeri 'Louis Edmunds'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos bakeri ssp. bakeri</b>	<b>BAKER'S MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos canescens</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos columbiana</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos confertiflora</b>	<b>SANTA ROSA ISLAND MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos cruzensis</b>	<b>LA CRUZ MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos densiflora</b>	<b>VINE HILL MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos densiflora 'Harmony'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos densiflora 'James West'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos densiflora 'Lutsko's Pink'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos densiflora 'Sentinel'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos edmundsii 'Carmel Sur'</b>	<b>LITTLE SUR MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos edmundsii</b>	<b>LITTLE SUR MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos edmundsii f. parvifolia 'Little Sur'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos edmundsii 'Bert Johnson'</b>		<b>1</b>	<b>S</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Arctostaphylos 'Emerald Carpet'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos glandulosa</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos glandulosa f. cushingiana</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos glandulosa ssp. zacaensis</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos glandulosa var. crassifolia</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos glauca</b>	<b>BIGBERRY MANZANITA</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Greensphere'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri</b>	<b>HOOKER'S MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri 'Buxifolia'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri 'Sentinel'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri ssp. franciscana</b>	<b>FRANCISCAN MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri ssp. hearstiorum</b>	<b>HEART'S MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri ssp. montana</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri ssp. ravenii</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos hookeri 'Wayside'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Howard McMinn'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos imbricata</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos insularis</b>	<b>ISLAND MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos insularis 'Canyon Sparkle'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos insularis var. pubescens</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'John Dourley'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Lester Rowntree'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos luciana</b>	<b>SANTA LUCIA MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos manzanita</b>	<b>MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Arctostaphylos manzanita ssp. elegans</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos manzanita ssp. laevigata</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos montaraensis</b>	<b>MONTARA MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos montereyensis</b>	<b>MONTEREY MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos morroensis</b>	<b>MORRO MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos morroensis 'Montana del Oro'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Myrtle Wolf'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos nevadensis</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos nummularia</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos nummularia var. sensitiva</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos obispoensis</b>	<b>BISHOP MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Pacific Mist'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pajaroensis</b>	<b>PAJARO MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pajaroensis 'Paradise'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pajaroensis 'Roger's Bronze'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pajaroensis 'Warren Roberts'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos parryana</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos parviflora 'Bert Johnson'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pechoensis</b>	<b>PECHO MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pechoensis var. viridissima</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pilosula</b>	<b>SANTA MARGARITA MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pumila</b>	<b>SANDMAT MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos pungens</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Arctostaphylos purissima</b>	<b>LA PURISSIMA MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos refugioensis</b>	<b>REFUGIO MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos rudis</b>	<b>SAND MESA MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos rudis 'Boxwood'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos silvicola</b>	<b>BONNIE DOON MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos 'Small Change'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos sp. hybrid</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos stanfordiana</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos 'Sunset'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa f. hebeclada</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa f. trichoclada</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa hybrid</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa ssp. bracteosa f. bracteosa</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa ssp. crustacea</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos tomentosa ssp. rosei</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Arctostaphylos uva-ursi</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	√	√	√	√	<b>M</b>
<b>Arctostaphylos uva-ursi f. suborbiculata</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	√	√	√	√	
<b>Arctostaphylos uva-ursi 'sm leaf form from Pt. Arena'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	√	√	√	√	
<b>Arctostaphylos uva-ursi f. coactilis</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	√	√	√	√	
<b>Arctostaphylos uva-ursi f. coactilis 'Point Reyes'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Arctostaphylos uva-ursi f. coactilis 'Winter Glow'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi hybrid</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'Miniature'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'Point Reyes'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'Pt. Arena'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'Radiant'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'State Hybrid'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi var. leobreweri</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi var. marinensis</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi var. saxicola</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos uva-ursi 'Woods Compact'</b>	<b>BEARBERRY</b>	<b>1</b>	<b>G</b>	✓	✓	✓	✓	
<b>Arctostaphylos viridissima</b>	<b>MCMINN'S MANZANITA</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos viridissima 'White Cloud'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos viscida ssp. pulchella</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos 'Windswept'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctostaphylos x media</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Arctotheca calendula</b>	<b>CAPE WEED</b>	<b>1</b>	<b>G</b>		✓	✓	✓	
<b>Argemone mexicana</b>	<b>MEXICAN POPPY</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Argemone munita</b>	<b>PRICKLY POPPY</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Aristida purpurea 'Chino Hills'</b>	<b>THREE-AWN</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Aristolochia californica</b>	<b>CALIFORNIA DUTCHMAN'S PIPE</b>	<b>2</b>	<b>V</b>	✓	✓	✓	✓	
<b>Armeria caespitosa</b>	<b>SEA PINK, THRIFT</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Armeria corsica</b>		<b>1</b>	<b>P</b>		✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Armeria maritima</b>	<b>COMMON THRIFT</b>	<b>1</b>	<b>P</b>		√	√	√	<b>M</b>
<b>Armeria maritima 'Bloodstone'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Armeria maritima 'Rubrifolia'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Armeria maritima var. californica</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Armeria maritima 'Victor Reiter'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Armeria pseudarmeria</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Artemisia absinthium</b>	<b>COMMON WORMWOOD</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Artemisia afra</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Artemisia arborescens</b>	<b>SHRUBBY WORMWOOD</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Artemisia arborescens 'Powis Castle'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia arbuscula</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia californica</b>	<b>CALIFORNIA SAGEBRUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia californica 'Canyon Grey'</b>	<b>CALIFORNIA SAGEBRUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia californica 'Montara'</b>	<b>CALIFORNIA SAGEBRUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia canescens</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia caucasica</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Artemisia douglasiana</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia ludoviciana</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia ludoviciana 'Valerie Finnis'</b>	<b>Silver wormwood</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia pycnocephala</b>	<b>SANDHILL SAGE</b>	<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Artemisia pycnocephala 'David's Choice'</b>	<b>SANDHILL SAGE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia pycnocephala 'Hawkhill'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia rothrockii</b>	<b>ROTHROCK SAGEBRUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Artemisia 'Silver Mound'</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<i>Artemisia stelleriana</i>	<b>BEACH WORMWOOD, DUSTY MILLER</b>	1	S		√	√	√	M
<i>Artemisia tridentata</i>	<b>BIG SAGEBRUSH</b>	1	S	√	√	√	√	
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i>	<b>BIG SAGEBRUSH</b>	1	S	√	√	√	√	
<i>Astartea fascicularis</i>		1	S		√	√	√	
<i>Astartea fascicularis</i> 'Bremer Bay'		1	S		√	√	√	
<i>Asteriscus maritimus</i>		1	S		√	√	√	
<i>Asteriscus maritimus</i> 'Compact Gold Coin'		1	S		√	√	√	
<i>Asteriscus maritimus</i> 'Gold Coin'		1	S		√	√	√	
<i>Atriplex canescens</i>	<b>FOUR-WING SALT BUSH</b>	1	S	√	√	√	√	H
<i>Atriplex halimus</i>		1	S		√	√	√	H
<i>Atriplex lentiformis</i> ssp. <i>breweri</i>	<b>QUAIL BUSH</b>	1	S	√	√	√	√	H
<i>Atriplex x lentiformis</i> ssp. <i>Brewerii</i>		1	S		√	√	√	H
<i>Baccharis emoryi</i>		1	S	√	√	√	√	
<i>Baccharis pilularis</i>	<b>DWARF COYOTE BUSH</b>	1	S	√	√	√	√	H
<i>Baccharis pilularis</i> 'Twin Peaks'		1	S	√	√	√	√	H
<i>Baccharis pilularis</i> var. <i>consanguinea</i>		1	S	√	√	√	√	H
<i>Baccharis pilularis</i> var. <i>pilularis</i>		1	S	√	√	√	√	H
<i>Baccharis sordescens</i>		1	S		√	√	√	
<i>Baccharis vaccinioides</i>		1	S		√	√	√	
<i>Baccharis x douglasii</i>		1	S		√	√	√	
<i>Ballota pseudodictamnus</i>		1	P		√	√	√	
<i>Ballota pseudodictamnus</i> 'All Hallows Green'		1	P		√	√	√	
<i>Banksia baxteri</i>		1	S		√	√	√	
<i>Banksia blechnifolia</i>		1	S		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Banksia brownii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia burdettii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia caleyi</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia candolleana</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia ericifolia</b>	<b>HEATH BANKSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia ericifolia 'Compact'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia ericifolia var. macrantha</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia grandis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia integrifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia marginata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia media</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia menziesii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia oblongifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia occidentalis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia paludosa ssp. paludosa</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia petiolaris</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia praemorsa</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia repens</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia robur</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia seminuda</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia serrata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia solandri</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia speciosa</b>	<b>SHOWY BANKSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Banksia sphaerocarpa</b>		<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Banksia spinulosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Banksia spinulosa 'Schnapper Point'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Banksia spinulosa var. collina</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Banksia verticillata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Banksia victoriae</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Beaucarnea recurvata</b>	<b>PONYTAIL, BOTTLE PALM</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Beaucarnea stricta</b>		<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Berberis aggregata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis amurensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis atrocarpa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis clareae</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis darwinii</b>	<b>DARWIN BARBERRY</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis haematocarpa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis hakeoides</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis insignis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis jamesiana</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis julianae</b>	<b>WINTERGREEN BARBERRY</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis kawakamii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis linerarifolia 'Orabnge King'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis sieboldii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis sikkimensis</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Berberis thunbergii 'Atropurpurea'</b>	<b>JAPANESE BARBERRY</b>	<b>1</b>	<b>S</b>		✓	✓	✓	<b>L</b>
<b>Berberis thunbergii 'Golden Ring'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	<b>L</b>
<b>Berberis thunbergii 'Red Chief'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	<b>L</b>

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Berberis thunbergii var. atropurpurea</b>								
<b>'Crimson Velvet'</b>		<b>1</b>	<b>S</b>		√	√	√	<b>L</b>
<b>Berberis triacanthophora</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis verruculosa</b>	<b>WARTY BARBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis wilsoniae</b>	<b>WILSON BARBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis 'Wisley Hybrids'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis wisleyensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x chenaultii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x interposita 'Wallich's Purple'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x lologensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x ottawensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x stenophylla</b>	<b>ROSEMARY BARBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x stenophylla 'Corallina Compacta'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x stenophylla 'Irwinii'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Berberis x stenophylla 'Pink Pearl'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Biarum tenuifolium</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Blechnum spicant</b>	<b>DEER FERN, DEER TONGUE FERN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Bougainvillea sps and CV's</b>	<b>BOUGAINVILLEA</b>	<b>1</b>	<b>V</b>		√	√	√	<b>H</b>
<b>Bouteloua sps</b>	<b>GRAMA GRASS</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Bouvardia glaberrima</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Bouvardia ternifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
	<b>FLAME TREE, AUSTRALIAN FLAME</b>							
<b>Brachychiton acerifolius</b>	<b>TREE</b>	<b>1</b>	<b>T</b>			√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
	<b>QUEENSLAND LACEBARK, PINK</b>							
<b>Brachychiton discolor</b>	<b>FLAME TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Brachychiton populneus</b>	<b>BOTTLE TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Brachychiton rupestris</b>	<b>QUEENSLAND BOTTLE TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Brickellia californica</b>	<b>BRICKELLBUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Brodiaea californica</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea coronaria</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea elegans</b>	<b>HARVEST BRODIAEA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea elegans ssp. elegans</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea filifolia</b>	<b>TREAD-LEAF BRODIAEA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea kinkiensis</b>	<b>SAN CLEMENTINE ISLAND BRODIAEA</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Brodiaea lactea</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Brodiaea pallida</b>	<b>CHINESE CAMP BRODIAEA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea 'Queen Fabiola'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Brodiaea terrestris</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea terrestris ssp. kernensis</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Brodiaea x (elegans x coronaria ssp rosea)</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Broussonetia papyrifera</b>	<b>PAPER MULBERRY</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Brunonia australis</b>	<b>BLUE PINCUSHION</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Bulbine caulescens</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Bupleurum fruticosum</b>	<b>SHRUBBY HARE'S EAR</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Caesalpinia echinata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Caesalpinia ferrea</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Caesalpinia gilliesii</b>	<b>YELLOW BIRD OF PARADISE</b>	<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Caesalpinia pulcherrima</b>	<b>RED BIRD OF PARADISE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Caesalpinia spinosa</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cakile edentula</b>	<b>AMERICAN SEA ROCKET</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Calandrinia ciliata</b>	<b>RED MAIDS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calandrinia grandiflora</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Calandrinia umbellata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Calliandra californica</b>	<b>BAJA FAIRY DUSTER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calliandra eriophylla</b>	<b>FAIRY DUSTER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calliandra grandiflora</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon 'Cane's Hybrid'</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon citrinus</b>	<b>LEMON BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Callistemon citrinus 'Jeffersii'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon citrinus 'Little John'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon comboynensis</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon 'Hybrid'</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon linearis var. pumila</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon pallidus</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon phoeniceus</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon pinifolius</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon pinifolius f. green</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon rigidus</b>	<b>STIFF BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Callistemon salignus 'Eureka'</b>	<b>WHITE BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon sieberi</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon speciosus</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Callistemon subulatus</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon 'Violaceus'</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Callistemon viridiflorus</b>	<b>BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calocedrus decurrens</b>	<b>INCENSE CEDAR</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>L</b>
<b>Calocephalus brownii</b>	<b>CUSHION BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Calochortus albus</b>	<b>WHITE GLOBE LILY</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calochortus argillosus - type form</b>	<b>CLAY MARIPOSA LILY</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calochortus luteus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calochortus pulchellus</b>	<b>MOUNT DIABLO FAIRY LANTERN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calochortus umbellatus</b>	<b>OAKLAND STAR TULIP</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calochortus uniflorus</b>	<b>LARGE-FLOWERED STAR TULIP</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calothamnus homalophyllus</b>	<b>MURCHISON CLAW FLOWER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calothamnus quadrifidus</b>	<b>ONE-SIDED BOTTLEBRUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calothamnus sanguineus</b>	<b>SILKY-LEAVED BLOOD FLOWER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calothamnus villosus</b>	<b>SILKY NET BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Calycanthus occidentalis</b>	<b>WESTERN SPICE BUSH</b>	<b>3</b>	<b>S</b>	√	√			
<b>Calylophus drummondii</b>	<b>SUNDROPS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calylophus hartwegii</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calystegia occidentalis</b>	<b>MODOC MORNING GLORY</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Calystegia purpurata ssp. purpurata</b>	<b>PACIFIC FALSE BINDWEED</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Camassia leichtlinii ssp. suksdorfii</b>	<b>CAMASS</b>	<b>2</b>	<b>P</b>	√	√	√	√	
<b>Camassia quamash</b>	<b>CAMASS</b>	<b>2</b>	<b>P</b>	√	√	√	√	
<b>Camassia quamash ssp. quamash</b>	<b>CAMASS</b>	<b>2</b>	<b>P</b>	√	√	√	√	
<b>Camellia sasanqua</b>		<b>2</b>	<b>S</b>		√	√		

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Camellia sasanqua 'Apple Blossum'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Bonanza'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Chansonette'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Hana-jiman'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Himekoki'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Hugh Evans'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Mine-no-yuki'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Setsugekka'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Shishigashira'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Showa Supreme'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Showa-no-sakae'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Silver Dollar'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Silverado'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'Sparkling Burgundy'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camellia sasanqua 'White Doves'</b>		<b>2</b>	<b>S</b>		✓	✓		
<b>Camissonia cheiranthifolia</b>	<b>BEACH SUNCUP</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Camissonia ovata</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Canarina canariensis</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Capparis spinosa var. inermis</b>	<b>CAPER</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Caragana arborescens</b>	<b>SIBERIAN PEASHRUB</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Caragana frutex</b>	<b>RUSSIAN PEASHRUB</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Caragana pygmaea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Carex amplifolia</b>		<b>3</b>	<b>P</b>	✓	✓	✓	✓	
<b>Carex barbarae</b>	<b>SANTA BARBARA SEDGE</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Carex nudata</b>		<b>3</b>	<b>P</b>	√	√	√	√	
<b>Carex spissa</b>	<b>SAN DIEGO SEDGE</b>	<b>3</b>	<b>P</b>	√	√	√	√	
<b>Carissa macrocarpa</b>	<b>NATAL PLUM</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Carmichaelia aligera</b>	<b>NORTH ISLAND BROOM</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Carmichaelia arenaria</b>	<b>PUNAKAIKI BROOM</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Carmichaelia odorata</b>	<b>SCENTED BROOM</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Carpenteria californica</b>	<b>BUSH ANEMONE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Carpenteria californica 'Elizabeth'</b>	<b>BUSH ANEMONE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Carpobrotus acinaciformis</b>	<b>ICE PLANT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Cassia artemisioides (Senna artemisioides)</b>	<b>FEATHERY CASSIA</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Cassia brewsteri</b>		<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Cassia eremophila</b>	<b>DESERT CASSIA</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Cassia leptophylla</b>	<b>GOLD MEDALLION TREE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>H</b>
<b>Cassia splendida</b>	<b>GOLDEN WONDER SENNA</b>	<b>1</b>	<b>T</b>		√	√	√	<b>H</b>
<b>Casuarina cunninghamiana</b>	<b>RIVER SHE-OAK</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Casuarina equisetifolia</b>	<b>HORSETAIL TREE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>M</b>
<b>Casuarina stricta ssp. robusta</b>	<b>MOUNTAIN SHE-OAK</b>	<b>1</b>	<b>T</b>		√	√	√	<b>M</b>
<b>Catananche caerulea</b>	<b>LOVE PLANT, CUPID'S DART</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Ceanothus (all species and cultivars)</b>		<b>1</b>	<b>S</b>	√	√	√	√	
	<b>CATALINA LILAC, FELTLEAF</b>							
<b>Ceanothus arboreus</b>	<b>CEANOTHUS</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>H</b>
<b>Ceanothus arboreus 'Clifford Schmidt'</b>	<b>CATALINA LILAC</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>H</b>
<b>Ceanothus arboreus 'Owlswood Blue'</b>	<b>CATALINA LILAC</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>H</b>
<b>Ceanothus 'Blue Buttons'</b>		<b>1</b>	<b>S</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Ceanothus 'Blue Jeans'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Blue Sapphire'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Bonny Doon'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Cal Poly'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Centennial'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Concha'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Coronado'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus crassifolius</b>	<b>HOARYLEAF CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus cuneatus</b>	<b>BUCK BUSH</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus cuneatus var. ramulosus 'Rodeo Marin'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus cyaneus 'YBN Blue'</b>	<b>LAKESIDE CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Cynthia Postan'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Dark Star'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus divergens ssp. confusus</b>	<b>CALISTOGA CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus foliosus</b>	<b>WAVYLEAF CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus foliosus var. medius</b>	<b>LA CUESTA CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus foliosus var. vineatus</b>	<b>VINE HILL CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Frosty Blue'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Gentian Plume'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
	<b>GLORY MAT, POINT REYES</b>							
<b>Ceanothus gloriosus</b>	<b>CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>H</b>
<b>Ceanothus gloriosus 'Anchor Bay'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus gloriosus hybrid</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Ceanothus gloriosus var. porrectus</b>	<b>MOUNT VISION CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus griseus 'Kurt Zadnik'</b>	<b>CARMEL CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus griseus 'Louis Edmunds'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus griseus var. horizontalis 'Diamond Heights'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus griseus var. horizontalis 'Hurricane Point'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus griseus var. horizontalis 'Yankee Point'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus hearstiorum</b>	<b>HEARST'S CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus hearstiorum 'King Sip'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus hybrid of x vanrensselaeri</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus impressus</b>	<b>SANTA BARBARA CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus impressus 'Vandenberg'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus impressus var. nipomensis</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus incanus</b>	<b>COAST WHITETHORN</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus incanus 'Owen Pearce'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus jepsonii</b>	<b>MUSK BRUSH</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Joan Mirov'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Joyce Coulter'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus lemmonii</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus leucodermis</b>	<b>CHAPARRAL WHITETHORN</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus 'Marie Simon'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Ceanothus maritimus</b>	<b>MARITIME CEANOTHUS</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Ceanothus maritimus 'Point Sierra'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus megacarpus</b>	<b>BIGPOD CEANOTHUS</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus megacarpus var. insularis</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus oliganthus var. orcuttii</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus oliganthus var. soledadensis</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus papillosus var. roweanus 'Julia Phelps'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus parryi</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus purpureus</b>	<b>HOLLYLEAF CEANOTHUS</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus ramulosus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus 'Ray Hartman'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus rigidus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus rigidus 'Snowball'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus 'Silver Surprise'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus sp. hybrid</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus spinosus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus 'Spring Valley'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus thyrsiflorus</b>	<b>BLUE BLOSSUM</b>	<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Ceanothus thyrsiflorus 'Millerton Point'</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Ceanothus thyrsiflorus 'Skylark'</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Ceanothus thyrsiflorus 'Snow Flurry'</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Ceanothus thyrsiflorus var. repens</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Ceanothus velutinus var. laevigatus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ceanothus x hybrid</b>		<b>1</b>	<b>S</b>	√	√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Ceanothus x vanrensselaeri</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Centaurea gymnocarpa</b>	<b>DUSTY MILLER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Centranthus ruber</b>	<b>JUPITER'S BEARD, RED VALERIAN</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Cephalanthus occidentalis var. californicus</b>	<b>BUTTONBUSH, BUTTON WILLOW</b>	<b>3</b>	<b>S</b>	√	√	√	√	<b>L</b>
<b>Cephalophyllum sp</b>	<b>RED SPIKE ICE PLANT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Ceratonia siliqua</b>	<b>CAROB</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Cercidium floridum</b>	<b>BLUE PALO VERDE</b>	<b>1</b>	<b>T</b>			√	√	<b>L</b>
<b>Cercidium floridum ssp. floridum</b>		<b>1</b>	<b>T</b>			√	√	<b>L</b>
<b>Cercidium microphyllum</b>	<b>LITTLELEAF PALO VERDE</b>	<b>1</b>	<b>T</b>			√	√	
<b>Cercidium praecox</b>	<b>PALO BREA</b>	<b>1</b>	<b>T</b>			√	√	
<b>Cercis occidentalis</b>	<b>WESTERN REDBUD</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>H</b>
	<b>MOUNTAIN MAHOGANY, HARDTACK,</b>							
<b>Cercocarpus betuloides</b>	<b>SWEET BUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Cercocarpus intricatus</b>	<b>LITTLELEAF MOUNTAIN-MAHOGANY</b>	<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Cercocarpus macrophyllum</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
<b>Cercocarpus multiflorus</b>		<b>1</b>	<b>S</b>	√	√	√	√	<b>H</b>
	<b>CATALINA ISLAND MOUNTAIN-</b>							
<b>Cercocarpus traskiae</b>	<b>MAHOGANY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Chamaebatiaria millefolium</b>	<b>FERNBUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Chasmanthe aethiopica</b>	<b>CHASMANTHE, COBRA LILY</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Chasmanthe bicolor</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Chasmanthe floribunda</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Chasmanthe floribunda 'Duckittii'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Chasmanthium latifolium</b>		<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Cheilanthes californica</b>	<b>LACE FERN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Cheilanthes covillei</b>	<b>LACE FERN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Cheilanthes sinuata</b>	<b>LACE FERN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Chilopsis linearis</b>	<b>DESERT WILLOW</b>	<b>1</b>	<b>T</b>	√		√	√	<b>H</b>
<b>Chitalpa tashkentensis</b>	<b>WAVY-LEAFED SOAP PLANT,</b>	<b>1</b>	<b>T</b>			√	√	
<b>Chlorogalum pomeridianum</b>	<b>CALIFORNIA SOAPROOT</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Chrysactina mexicana</b>	<b>DAMIANITA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Chrysanthemum hosmariense</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Chrysolepis chrysophylla</b>	<b>GIANT CHINQUAPIN</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Chrysolepis sempervirens</b>	<b>BUSH CHINQUAPIN</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cineraria saxifraga</b>	<b>WILD CINERARIA, GEELBLOM</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Cissus hypoglauca</b>	<b>AUSTRALIAN GRAPE IVY</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Cistus albidus</b>	<b>WHITE-LEAVED ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus crispus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus incanus (C. villosus)</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus ladanifer</b>	<b>CRIMSON SPOT ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus ladanifer 'Blanche'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus ladanifer ssp. sulcatus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus laurifolius</b>	<b>ROCK ROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus monspeliensis</b>	<b>MONTPELIER ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus parviflorus</b>	<b>SMALL FLOWERED ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus psilosepalus var. hirsutus</b>	<b>HAIRY ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus 'Red Spot'</b>		<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Cistus salviifolius</b>	<b>SAGELEAF ROCKROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus salviifolius 'Prostratus'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus 'Victor Reiter'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus x crispatus 'Warley Rose'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus x pulverulentus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus x purpureus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cistus x skanbergii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Clematis lasiantha</b>	<b>PIPESTEMS</b>	<b>1</b>	<b>V</b>	√	√	√	√	
<b>Clematis ligusticifolia</b>	<b>VIRGIN'S BOWER</b>	<b>1</b>	<b>V</b>	√	√	√	√	
<b>Clematis paucifolia</b>	<b>VIRGIN'S BOWER</b>	<b>1</b>	<b>V</b>	√	√	√	√	
<b>Clematis texensis</b>	<b>SCARLET CLEMATIS</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Comarostaphylis arbutoides</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Comarostaphylis discolor</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Comarostaphylis diversifolia</b>	<b>SUMMER HOLLY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Comarostaphylis diversifolia ssp. planifolia</b>	<b>FLAT LEAFED SUMMER HOLLY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Comarostaphylis polifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Comarostaphylis spinulosa</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Cordia boissieri</b>	<b>TEXAS OLIVE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>H</b>
<b>Cordia parvifolia</b>	<b>LITTLE-LEAF CORDIA</b>	<b>1</b>	<b>S</b>		√	√	√	<b>H</b>
<b>Coreopsis gigantea</b>	<b>GIANT COREOPSIS</b>	<b>1</b>	<b>S</b>	√	√	√	√	<b>M</b>
<b>Cornus nuttallii</b>	<b>WESTERN DOGWOOD</b>	<b>2</b>	<b>T</b>	√	√			
<b>Cornus nuttallii 'Pilgrim'</b>	<b>WESTERN DOGWOOD</b>	<b>2</b>	<b>T</b>	√	√			
<b>Cornus stolonifera 'Hedgerow's Gold' (C. sericea)</b>	<b>REDTWIG DOGWOOD</b>	<b>3</b>	<b>S</b>	√	√			

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Correa alba</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa alba var. pannosa 'Western Pink Star'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa backhousiana</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa baeuerlenii</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa calycina</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Carmine Bells'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Dawn in Santa Cruz'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa decumbens</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Dusky Bells'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Ivory Bells'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa pulchella</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa pulchella 'Pink Eyre'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Ray's Tangerine'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa reflexa 'Carpenter Rocks'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa reflexa var. nummulariifolia</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa reflexa 'Wallaby Bells'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa schlechtendalii</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa 'Wyn's Wonder'</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Correa x harrisii</b>	<b>AUSTRALIAN FUCHSIA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Corylus cornuta var. californica</b>	<b>WESTERN HAZEL NUT</b>	<b>2</b>	<b>S</b>	√	√	√	√	<b>L</b>
<b>Cotinus coggygia</b>	<b>SMOKE TREE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>M</b>
<b>Cotinus coggygia 'Royal Purple'</b>	<b>SMOKE TREE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>M</b>
<b>Dodecatheon clevelandii ssp. insulare</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Dodecatheon hendersonii</b>		<b>1</b>	<b>P</b>	√	√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Dodecatheon jeffreyi</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dodecatheon meadia 'Album'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dodecatheon media</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dodecatheon pulchellum</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dodonaea viscosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	<b>M</b>
<b>Dodonaea viscosa 'Purpurea'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	<b>M</b>
<b>Dudleya brittonii</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya caespitosa</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya calcicola</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya cymosa</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya densiflora</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya farinosa</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya farinosa-blue form</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya farinosa-green form</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya farinosa-white form</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya greenei</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya hassei</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya pulverulenta</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya verityi</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya virens</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Dudleya viscida</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Duranta erecta</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Duranta erecta 'Alba'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Duranta erecta 'Sarasota'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Duranta erecta 'Sweet Memory'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Duranta erecta 'Variegata'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erigeron compositus</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Eriogonum arborescens</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>H</b>
<b>Eriogonum cinereum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum compositum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum crocatum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum fasciculatum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>H</b>
<b>Eriogonum fasciculatum ssp. foliolosum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum fasciculatum var. polifolium</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum giganteum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum giganteum x fasciculatum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum grande var. rubescens</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum latifolium</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum latifolium ssp. grande 'var. rubescens'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum umbellatum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum umbellatum 'Shasta Sulfur'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum umbellatum ssp. polyanthum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum umbellatum ssp. polyanthum 'Shasta Sulphur'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum umbellatum var. glaberrimum</b>								
<b>'Kannah Creek'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum 'Wild Cascade'</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Eriogonum wrightii var. subscaposum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriogonum x (arborescens x giganteum)</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriophyllum lanatum</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriophyllum nevinii</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Eriophyllum staechadifolium</b>		<b>1</b>	<b>S</b>	✓	✓	✓	✓	
<b>Erysimum capitatum var. angustatum</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum concinnum</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum franciscanum</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum franciscanum var. crassifolium</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum 'Jubilee'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum klotschyanum</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum linifolium 'Ems'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum scoparium</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Erysimum 'Wenlode Beauty'</b>		<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Fragaria chiloensis</b>	<b>STRAWBERRY</b>	<b>2</b>	<b>P</b>	✓	✓	✓		
<b>Fraxinus dipetala</b>	<b>FLOWERING ASH</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	
<b>Fraxinus latifolia</b>	<b>OREGON ASH</b>	<b>2</b>	<b>T</b>	✓	✓	✓	✓	
<b>Fraxinus velutina</b>	<b>ARIZONA ASH</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	
<b>Fremontodendron 'California Glory'</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	<b>M</b>
<b>Fremontodendron californicum</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>M</b>
<b>Fremontodendron californicum ssp. napense</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>M</b>
<b>Fremontodendron 'Ken Taylor'</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	<b>M</b>
<b>Fremontodendron mexicanum</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	<b>M</b>
<b>Fremontodendron 'Pacific Sunset'</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	<b>M</b>

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

1/31/2012

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Fremontodendron 'San Gabriel'</b>	<b>FLANNEL BUSH</b>	<b>1</b>	<b>T</b>	√	√	√	√	<b>M</b>
<b>Garrya buxifolia</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya elliptica</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya elliptica 'Evie'</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya elliptica 'James Roof'</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya flavescens var. pallida</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya fremontii hybrid</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya laurifolia</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya veatchii</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Garrya x issaquahensis 'Pat Ballard'</b>	<b>SILKTASSEL</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Gaultheria shallon</b>	<b>SALAL</b>	<b>2</b>	<b>S</b>	√	√			
<b>Gaura lindheimeri</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Geijera parvifolia</b>	<b>AUSTRALIAN WILLOW</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Ginkgo biloba</b>	<b>MAIDENHAIR TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Ginkgo biloba 'dwarfed form'</b>	<b>MAIDENHAIR TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Ginkgo biloba 'Fairmont'</b>	<b>MAIDENHAIR TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Ginkgo biloba 'Saratoga'</b>	<b>MAIDENHAIR TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Grevillea alpina</b>	<b>MOUNTAIN GREVILLEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea aquifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea aspleniifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Austraflora Fanfare'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea australis</b>	<b>ALPINE GREVILLEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea banksii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea banyabba</b>		<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Grevillea 'Boongala Spinebill'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Canberra'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Canberra Gem'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Constance'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Cranbrook Yellow'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea crithmifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea dimorpha</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea gaudichaudii hybrid</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea juniperina</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea juniperina-low red form</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lanigera</b>	<b>WOOLY GREVILLEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lanigera 'Coastal Gem'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lanigera 'Mt. Tamboritha'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lavandulacea</b>	<b>LAVENDER GRVILLEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lavandulacea 'Billy Wing'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea lavandulacea 'Penola'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea leucopteris</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Noel'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea olivacea</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Pink Pearl'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea 'Poorinda Blondie'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea rivularis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea rosmarinifolia</b>	<b>ROSEMARY GREVILLEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Grevillea rosmarinifolia 'Dwarf Red'</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Grevillea rosmarinifolia 'Nana'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea 'Ruby Clusters'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea sericea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea synapheae</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
	<b>HUMMINGBIRD BUSH, SPIDER-NET</b>							
<b>Grevillea thelemanniana</b>	<b>GREVILLEA</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea thelemanniana 'Magic Lantern'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea thelemanniana ssp. fililoba</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea tridentifera</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea venusta</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea victoriae</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea victoriae 'Murray Valley Queen'</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea 'Wakiti Sunrise'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea 'White Wings'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea x (longistyla x johnsonii)</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea x (oleoides x shiressii)</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Grevillea x gaudichaudii</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea actites</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea adnata</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea dactyloides</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea elliptica</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea eriantha</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea laurina</b>	<b>SEA URCHIN, PINCUSHION TREE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea microcarpa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Hakea ochroptera</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea petiolaris</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea rugosa</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea salicifolia</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea sericea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea suaveolens</b>	<b>SWEET HAKEA</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea tephrosperma</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hakea victoria</b>	<b>ROYAL HAKEA</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Halimium lasianthum 'Formosum'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Halimium ocymoides</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Halimium umbellatum</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Hardenbergia comptoniana</b>	<b>LILAC VINE, AUSTRALIAN WISTERIA</b>	<b>1</b>	<b>V</b>		✓	✓	✓	
<b>Hardenbergia violacea 'Happy Wanderer'</b>	<b>LILAC VINE, AUSTRALIAN WISTERIA</b>	<b>1</b>	<b>V</b>		✓	✓	✓	
<b>Hardenbergia violacea 'Rosea'</b>	<b>LILAC VINE, AUSTRALIAN WISTERIA</b>	<b>1</b>	<b>V</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Brunette'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Buttercup'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Buttercup'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Mesa Wine'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Pumpkin'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Rose'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Stoplight'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Sunrose'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Helianthemum nummularium 'Wisley Primrose'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Helianthemum 'Pink'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Helianthemum 'Shot Silk'</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Helianthemum sp. red</b>	<b>SUNROSE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Heteromeles arbutifolia</b>	<b>TOYON</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Heteromeles arbutifolia 'Davis Gold'</b>	<b>TOYON</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Heteromeles arbutifolia 'yellow berries'</b>	<b>TOYON</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Holodiscus argenteus</b>	<b>CREAM BUSH, OCEAN SPRAY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Holodiscus discolor</b>	<b>MOUNTAIN SPRAY, ROCK SPIREA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Hymenosporum flavum</b>	<b>SWEETSHADE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Hyptis emoryi</b>	<b>DESERT LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Ipomopsis aggregata</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Ipomopsis rubra</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Iris 'Canyon Snow'</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris 'Cascade Buttercup'</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris douglasiana</b>	<b>DOUGLAS IRIS</b>	<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris douglasiana hybrid</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris douglasiana 'Point Reyes Purple'</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris innominata</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris innominata hybrid</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris longipetala</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris macrosiphon</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iris pacific coast hybrids</b>		<b>1</b>	<b>G</b>	√	√	√	√	
<b>Iva hayesiana</b>	<b>POVERTY WEED, SAN DIEGO MARSH-ELDER</b>	<b>1</b>	<b>P</b>	√	√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Juglans californica var. hindsii</b>	<b>CALIFORNIA BLACK WALNUT</b>	<b>2</b>	<b>T</b>	√	√	√	√	
<b>Keckiella antirrhinoides</b>	<b>YELLOW PENSTEMON</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Keckiella cordifolia</b>	<b>HEART-LEAVED PENSTEMON</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Keckiella corymbosa</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Keckiella 'Philip Munz'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Kniphofia buchananii</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia caulescens</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia galpinii</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia laxiflora</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia northiae</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia 'Primrose Beauty'</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia pumila</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia 'Summertime'</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia thompsonii</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia uvaria</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia uvaria 'Christmas Cheer'</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia 'Winter Cheer'</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kniphofia 'Wrexham Buttercup'</b>	<b>RED-HOT POKER, TORCH LILY</b>	<b>2</b>	<b>P</b>		√	√	√	
<b>Kunzea affinis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Kunzea baxteri</b>	<b>SCARLET KUNZEA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Kunzea ericoides</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Kunzea flavescens</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Kunzea parvifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Kunzea pomifera</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Kunzea recurva var. montana</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lagerstroemia hybrids</b>	<b>GRAPE MYRTLE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Lagunaria patersonii</b>	<b>PRIMROSE TREE, COW ITCH TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Lagunaria patersonii 'Royal Purple'</b>	<b>PRIMROSE TREE, COW ITCH TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Lampranthus aurantiacus</b>	<b>ORANGE ICEPLANT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus curvifolius</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus deltoides</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus filicaulis</b>	<b>REDONDO CREEPER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus pedunculatus</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus productus</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus spectabilis</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lampranthus vredenburgensis</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Lantana camara</b>	<b>YELLOW SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lantana 'Goldstein's Gold'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lantana montevidensis</b>	<b>TRAILING LANTANA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lathyrus splendens</b>	<b>PRIDE OF CALIFORNIA</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Laurus nobilis</b>	<b>SWEET BAY, GRECIAN LAUREL</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Laurus nobilis 'Salicifolia'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Laurus 'Saratoga'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia</b>	<b>ENGLISH LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia 'Hidcote'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia 'Lady'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia 'Munstead'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia 'Munstead'</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Lavandula angustifolia 'Reiter's Dwarf French'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula angustifolia 'Twickle Purple'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula canariensis</b>	<b>CANARY ISLAND LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula dentata</b>	<b>FRENCH LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula 'Fred Boutin'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula lanata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula 'Lisa Marie'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula 'Martha Roderick'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula 'Silver Frost'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula sp. 'Goodwin Creek'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas</b>	<b>SPANISH LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas f. leucantha</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas 'Madrid Blue'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas 'Madrid Pink'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas 'Otto Quast'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas ssp. pedunculata 'Atlas'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula stoechas 'Wings of Night'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula viridis</b>	<b>GREEN LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula 'Winter Lace'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x heterophylla</b>	<b>SWEET LAVENDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x heterophylla 'Goodwin Creek Grey'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x intermedia 'Alba'</b>		<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Lavandula x intermedia 'Fred Boutin'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x intermedia 'Grosso'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x intermedia 'Hidcote Giant'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x intermedia 'Province'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lavandula x quasti</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leonotis latifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leonotis leonurus</b>	<b>LION'S TAIL</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leonotis leonurus 'Harrismith White'</b>	<b>LION'S TAIL</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leonotis leonurus var. albiflora</b>	<b>LION'S TAIL</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia calycina</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia chamaedryoides</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia fragrans</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia fragrans 'El Tigre'</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia hastata</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lepechinia schiedeana</b>	<b>PITCHER SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum arachnoideum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum brachyandrum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum brevipes</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum brevipes 'Burgundy Spray'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum continentale</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum flavescens</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum 'Horizontalis'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum humifusum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum juniperinum</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Leptospermum laevigatum</b>	<b>AUSTRALIAN TEA TREE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum laevigatum 'Reevsii'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum lanigerum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum lanigerum ssp. macrocarpum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum liversidgei</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum minutifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum nitidum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum nitidum 'Flat Rock'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum obovatum 'Burgandy Spray'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum petersonii</b>	<b>LEMON-SCENTED TEA TREE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum petersonii 'White Swan'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum phyllicoides</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum polygalifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum polygalifolium 'Copper Glow'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum 'Purity'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum 'Ray Williams'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum rotundifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum rotundifolium 'Jervis Bay'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum rotundifolium 'Manning's Choice'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum scoparium</b>	<b>NEW ZEALAND TEA TREE, MANUKA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum scoparium 'Apple Blossom'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum scoparium 'Ashburton Wax'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leptospermum scoparium 'Big Red'</b>		<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Leptospermum scoparium 'Crimson Glory'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Gaiety Girl'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Helene Strybing'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Huia'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Kiwi'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Martinii'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Nanum Kea Hybrid'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Pendulum'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Pictergilli'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Pink Cascade'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Prostratum Pink Cascade'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Purity'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Rose Gem'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Ruffles'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Snow White'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum scoparium 'Winter Cheer'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum squarrosus</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leptospermum turbinatum 'Flat Rock'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leucadendron argenteum</b>	<b>SILVER TREE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leucadendron chamelaea</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leucadendron 'Cloudbank Ginny'</b>		<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Leucadendron concavum</b>		<b>1</b>	<b>S</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Leucadendron corymbosum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron daphnoides</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron discolor</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron dubium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron eucalyptifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron floridum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron galpinii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron gandogerii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron laureolum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron laxum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron linifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron loeriense</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron meridianum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron meridianum 'More Silver'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron nervosum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Pisa'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Red Gem'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Rising Sun'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron rubrum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron sabulosum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Safari Sunset'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Safari Sunshine'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron salicifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron salignum</b>		<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Leucadendron salignum 'Red Devil'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron salignus 'Red Tulip'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron 'Silvan Red'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron stellare</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron stelligerum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron strobilinum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron teretifolium</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron tinctum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron uliginosum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucadendron xanthoconus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum candidum</b>	<b>VIOLET SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum frutescens</b>	<b>TEXAS RANGER, SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum laevigatum</b>	<b>CHIHUAHUAN SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum pruinatum</b>	<b>TEXAS RANGER, SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum revolutum</b>	<b>TEXAS RANGER, SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum x 'Rain Cloud'</b>	<b>TEXAS RANGER, SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucophyllum zygophyllum</b>	<b>TEXAS RANGER, SILVERLEAF</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum bolusii</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'California Sunrise'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Caroline'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum catherinae</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum cordifolium</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum cordifolium 'Veld Fire'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum cordifolium 'Yellow Bird'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Leucospermum erubescens</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum formosum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum glabrum 'Helderfontein'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Red Sunset'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum reflexum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum reflexum var. luteum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum rodolentum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Scarlet Ribbon'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Sunshine'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Sylvan Red'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Tango'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum tottum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum tottum hybrid</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Veld Fire'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Veldfire'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum vestitum</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum x tottum hybrid</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Leucospermum 'Yellow Bird'</b>	<b>PINCUSHION</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lewisia cotyledon (clear pink)</b>	<b>CLIFF MAIDS</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lewisia cotyledon var. heckneri</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Limonium brassicifolium</b>	<b>STATICE, SEA LAVENDER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Limonium minutum</b>	<b>STATICE, SEA LAVENDER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Limonium perezii</b>	<b>STATICE, SEA LAVENDER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Limonium psilocladon</b>	<b>STATICE, SEA LAVENDER</b>	<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Lonicera involucrata</b>	<b>TWINBERRY</b>	<b>1</b>	<b>V</b>	√	√	√	√	
<b>Lophostemon confertus (Tristania conferta)</b>	<b>BRISBANE BOX</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Luma apiculata (Myrtus luma)</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Luma apiculata 'Glanleam Gold'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Lupinus albifrons</b>	<b>SILVER LUPINE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Lupinus albifrons var. collinus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Lupinus arboreus</b>	<b>COASTAL BUSH LUPINE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Lyonothamnus floribundus ssp. asplenifolius</b>	<b>CATALINA IRONWOOD</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Macfadyena unguis-cati</b>	<b>CAT'S CLAW, YELLOW TRUMPET VINE</b>	<b>2</b>	<b>V</b>		√	√	√	
<b>Mackaya bella</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Mahonia aquifolium</b>	<b>OREGON GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia aquifolium 'Compacta'</b>	<b>OREGON GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia aquifolium 'Golden Abundance'</b>	<b>OREGON GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia fremontii</b>	<b>DESERT MAHONIA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia nervosa</b>	<b>LONGLEAF MAHONIA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia nervosa var. mendocinoensis</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia pinnata</b>	<b>CALIFORNIA GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia pinnata 'Ken Hartmann'</b>	<b>CALIFORNIA GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia pinnata ssp. insularis</b>	<b>CALIFORNIA GRAPE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia pinnata ssp. insularis 'Schnilemoon'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia repens</b>	<b>CREEPING MAHONIA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mahonia 'Skylark'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Malacothamnus fasciculatus</b>	<b>CHAPARRAL MALLOW</b>	<b>1</b>	<b>S</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Malacothamnus fremontii ssp. cercophorus</b>	<b>FREMONT'S BUSH MALLOW</b>	<b>1</b>	<b>S</b>	√	√	√	√	
	<b>SAN LUIS OBISPO COUNTY BUSH</b>							
<b>Malacothamnus niveus</b>	<b>MALLOW</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Malacothamnus palmeri 'Hanging Valley'</b>	<b>PALMER'S MALLOW</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Malvastrum lateritium</b>	<b>TRAILING MALLOW</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Manfreda maculosa</b>	<b>TEXAS TUBEROSE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Mascagnia lilacina</b>	<b>LAVENDER ORCHID VINE</b>	<b>2</b>	<b>V</b>		√	√	√	
<b>Mascagnia macroptera</b>	<b>YELLOW ORCHID VINE</b>	<b>2</b>	<b>V</b>		√	√	√	
<b>Melaleuca armillaris</b>	<b>DROOPING MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca decussata</b>	<b>LILAC MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca elliptica</b>	<b>GRANITE MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca ericifolia</b>	<b>HEATH MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca fulgens</b>	<b>SCARLET HONEY MYRTLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca huegelii</b>	<b>CHENILLE HONEY MYRTLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca hypericifolia</b>	<b>DOTTED MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca incana</b>	<b>GRAY HONEY MYRTLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca lanceolata</b>	<b>BLACK TEA TREE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca nesophylla</b>	<b>PINK MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca quinquenervia</b>	<b>CAJEPUT TREE, PAPERBARK TREE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca styphelioides</b>	<b>BLACK TEA TREE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca thymifolia</b>	<b>THYMELEAF MELALEUCA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melaleuca wilsonii</b>	<b>VIOLET HONEY MYRTLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Melia azedarach</b>	<b>CHINABERRY</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Melianthus major</b>	<b>HONEY BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Melianthus major 'Purple Haze'</b>	<b>HONEY BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Metrosideros excelsa</b>	<b>NEW ZEALAND CHRISTMAS TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Metrosideros excelsa 'Aurea'</b>	<b>NEW ZEALAND CHRISTMAS TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Metrosideros excelsa 'Aureo-variegata'</b>	<b>NEW ZEALAND CHRISTMAS TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Mimulus aurantiacus (M. longiflorus)</b>	<b>STICKY MONKEY FLOWER</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mimulus aurantiacus 'Jeff's Tangerine'</b>	<b>STICKY MONKEY FLOWER</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mimulus cardinalis</b>	<b>SCARLET MONKEY FLOWER</b>	<b>2</b>	<b>P</b>	√	√	√	√	
<b>Mimulus clevelandii</b>	<b>CLEVELAND'S BUSH MONKEYFLOWER</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mimulus guttatus</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Mirabilis jalapa</b>	<b>FOUR O'CLOCK, MARVEL OF PERU</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Monardella macrantha</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella odoratissima</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella odoratissima ssp. pallida</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella villosa</b>	<b>COYOTE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella villosa 'Russian River'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella villosa ssp. franciscana</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Monardella villosa var. obispoensis</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Muhlenbergia pubescens</b>	<b>SOFT BLUE MEXICAN MUHLY</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Muhlenbergia rigens</b>	<b>DEER GRASS</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Myoporum parvifolium 'Prostratum'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Myrica californica</b>	<b>PACIFIC WAX MYRTLE</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Myrsine africana</b>	<b>AFRICAN BOXWOOD</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Myrtus communis</b>	<b>MYRTLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Nandina domestica</b>	<b>HEAVENLY BAMBOO</b>	<b>1</b>	<b>S</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Nandina domestica 'Compacta'</b>	<b>HEAVENLY BAMBOO</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Nandina domestica 'Filamentosa'</b>	<b>HEAVENLY BAMBOO</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Nandina domestica 'Pygmaea'</b>	<b>HEAVENLY BAMBOO</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Nassella cernua</b>	<b>NODDING NEEDLE GRASS</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Nassella lepida</b>	<b>FOOTHILL NEEDLE GRASS</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Nassella pulchra</b>	<b>PURPLE NEEDLE GRASS</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Nolina bigelovii</b>	<b>BEAR GRASS</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Nolina parryi</b>	<b>BEAR GRASS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Nolina recurvata</b>	<b>BOTTLE PALM</b>	<b>1</b>	<b>T</b>		√	√	√	
	<b>BIRD'S EYE BUSH, MICKEY MOUSE</b>							
<b>Ochna serrulata</b>	<b>PLANT</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Olea europaea</b>	<b>OLIVE</b>	<b>1</b>	<b>T</b>		√	√	√	<b>Sterile</b>
<b>Olea europaea 'Skylark Dwarf'</b>	<b>OLIVE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Opuntia basilaris</b>	<b>BEAVER-TAIL CACTUS</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Opuntia microdasys</b>	<b>BUNNY EARS</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Origanum laevigatum 'Hopley's'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Origanum 'Ray Williams'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Origanum 'Rosenkuppel'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Origanum rotundifolium 'Kent Beauty'</b>	<b>OREGANO</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Origanum vulgare</b>	<b>OREGANO, WILD MARJORAM</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Ornithostaphylos oppositifolia</b>	<b>PALO BLANCO</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Osmanthus delavayi</b>	<b>DELAVAY OSMANTHUS</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Osmanthus fragrans</b>	<b>SWEET OLIVE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Osmanthus heterophyllus</b>	<b>HOLLY LEAF OSMNTHUS</b>	<b>1</b>	<b>T</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
	<b>TRAILING AFRICAN DAISY, FREEWAY</b>							
<b>Osteospermum fruticosum</b>	<b>DAISY</b>	<b>2</b>	<b>P</b>		√	√	√	
	<b>JERUSALEM THORN, MEXICAN PALO</b>							
<b>Parkinsonia aculeata</b>	<b>VERDE</b>	<b>1</b>	<b>T</b>			√	√	
<b>Parrotia persica</b>	<b>PERSIAN PARROTIA</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Penstemon azureus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon barbatus</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon campanulatus</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon centranthifolius</b>	<b>SCARLET BUGLER</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon chiapas</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon deustus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon eatoni</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon gentianoides</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon heterodoxus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon heterophyllus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon heterophyllus 'Blue Springs'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon heterophyllus 'Margarita BOP'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon labrosus</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon newberryi var. sonomensis 'Saint Helena'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon palmeri</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon pinifolius</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon spectabilis</b>	<b>ROYAL BEARD TONGUE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Penstemon utahensis</b>		<b>1</b>	<b>P</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Bashful'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Blackbird'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Elfin Pink'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Firebird'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Hidcote Pink'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Holly's White'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Huntington Pink'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Midnight'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Papal Purple'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Royal Beauty'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Sour Grapes'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
	<b>BORDER PENSTEMON, GARDEN</b>							
<b>Penstemon x gloxiniodes 'Wine Red'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>BORDER PENSTEMON, GARDEN</b>								
<b>Penstemon x gloxinioides 'Apple Blossom'</b>	<b>PENSTEMON</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Penstemon x mexicali 'Miniature Bells'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Perovskia atriplicifolia</b>	<b>RUSSIAN SAGE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Perovskia atriplicifolia 'Ziegler'</b>	<b>RUSSIAN SAGE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Persicaria capitata</b>	<b>KNOTWEED</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Philadelphus lewisii</b>	<b>WILD MOCK ORANGE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Phlomis aurea</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis aureus</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis chrysophylla</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis fruticosa</b>	<b>JERUSALEM SAGE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis italica</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis lanata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis purpurea</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis russeliana</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis samia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Phlomis tuberosa</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium 'Amazing Red'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium cookianum</b>	<b>MOUNTAIN FLAX</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium cookianum 'Maori Sunrise'</b>	<b>MOUNTAIN FLAX</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium cookianum ssp. hookeri 'Cream Delight'</b>	<b>MOUNTAIN FLAX</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium cultivar</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Phormium 'Guardman'</b>		<b>1</b>	<b>P</b>		√	√	√	



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Phormium 'Jester'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium 'Maori Queen'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium 'Monrovia Red'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium 'Rainbow River'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium 'Sundowner'</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium 'Sunset'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Apricot Queen'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Bronze'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Dazzler'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Tiny Tiger'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Tony Tiger'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Tricolor'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Phormium tenax 'Yellow Wave'</b>	<b>NEW ZEALAND FLAX</b>	<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Physocarpus capitatus</b>	<b>WESTERN NINEBARK</b>	<b>2</b>	<b>S</b>	✓	✓	✓	✓	
<b>Physocarpus capitatus 'Tilden Park'</b>	<b>WESTERN NINEBARK</b>	<b>2</b>	<b>S</b>	✓	✓	✓	✓	
<b>Pickeringia montana</b>	<b>MOUNTAIN PEA</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Pistacia atlantica</b>	<b>MOUNT ATLAS PISTACHE</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Pistacia chinensis</b>	<b>CHINESE PISTACHE</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Pistacia lentiscus</b>	<b>MASTIC</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Pittosporum phillyreoides</b>	<b>WILLOW PITTOSPORUM</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Platanus racemosa</b>	<b>CALIFORNIA SYCAMORE</b>	<b>2</b>	<b>T</b>		✓	✓		
<b>Plumbago auriculata</b>	<b>CAPE PLUMBAGO</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Polypodium californicum</b>	<b>CALIFORNIA POLYPODY</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Polypodium californicum 'Sarah Lyman'</b>	<b>CALIFORNIA POLYPODY</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Polypodium glycyrrhiza</b>	<b>LICORICE FERN</b>	<b>2</b>	<b>P</b>	√	√			
<b>Polypodium scolopendriifolium</b>	<b>LEATHER-LEAF FERN</b>	<b>1</b>	<b>P</b>	√	√			
<b>Polystichum dudleyi</b>		<b>1</b>	<b>P</b>	√	√			
<b>Polystichum munitum</b>	<b>SWORD FERN</b>	<b>1</b>	<b>P</b>	√	√			
<b>Portulacaria afra</b>	<b>ELEPHANT'S FOOD</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Potentilla drummondii</b>	<b>POTENTILLA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Potentilla fruticosa</b>	<b>SHRUBBY CINQUEFOIL</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Prostanthera cuneata</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera lasianthos</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera nivea var. induta</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera ovalifolia</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera ovalifolia 'Variegata'</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera rotundifolia 'Glen Davis'</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera rotundifolia 'Rosea'</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera rotundifolia 'Variegated'</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Prostanthera walteri</b>	<b>MINT BUSH</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Protea aristata</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea aurea</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea aurea ssp. potbergensis</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea burchellii</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea caffra</b>	<b>COMMON SUGAR BUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea canaliculata</b>	<b>GROOVE-LEAF SUGARBUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea 'Clarks Red'</b>		<b>2</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Protea compacta</b>	<b>PINK PROTEA</b>	<b>2</b>	<b>S</b>		√	√		
<b>Protea coronata</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea cynaroides</b>	<b>KING SUGARBUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea cynaroides 'Autumn'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea eximia</b>	<b>ROSE-SPOON PROTEA</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea eximia 'Dutchess'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea eximia 'Red Spoon'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea lacticolor</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea laurifolia</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea lepidocarpodendron</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea lepidocarpodendron 'Sable'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea longifolia</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea magnifica</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea magnifica var. cedarberg</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea mundii</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea nana</b>	<b>MOUNTAIN-ROSE SUGARBUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea neriifolia</b>	<b>MINK PROTEA</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea neriifolia 'Late Mink'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea neriifolia 'Pink Mink'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea neriifolia 'Ruby'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea obtusifolia</b>	<b>LIMESTONE SUGARBUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea 'Pink Ice'</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Protea punctata</b>	<b>WATER SUGARBUSH</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Protea repens</b>		<b>2</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Protea roupelliae ssp. hamiltonii</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea roupelliae ssp. roupelliae</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea scolymocephala</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea speciosa</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea subvestita</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea susannae</b>	<b>SUSANNA PROTEA</b>	<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea 'Susara'</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea 'Sylvia'</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea 'White Mink'</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Protea x (lepidocarpodendron x neriifolia)</b>		<b>2</b>	<b>S</b>		✓	✓	✓	
<b>Prunus ilicifolia</b>	<b>HOLLYLEAF CHERRY</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Prunus ilicifolia ssp. lyonii</b>	<b>CATALINA CHERRY</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Prunus laurocerasus</b>	<b>ENGLISH LAUREL</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Prunus laurocerasus 'Otto Luyken'</b>		<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Prunus laurocerasus 'Zabeliana'</b>		<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Prunus lusitanica</b>	<b>PORTUGAL LAUREL</b>	<b>1</b>	<b>T</b>		✓	✓	✓	
<b>Psilostrophe cooperi</b>	<b>PAPER DAISY</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Punica granatum</b>	<b>POMEGRANATE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Punica granatum 'Nana'</b>	<b>DWARF POMEGRANATE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Purshia mexicana stansburyana</b>	<b>CLIFF ROSE</b>	<b>1</b>	<b>S</b>		✓	✓	✓	
<b>Puya berteroniana</b>		<b>1</b>	<b>P</b>		✓	✓	✓	
<b>Quercus agrifolia</b>	<b>COAST LIVE OAK</b>	<b>1</b>	<b>T</b>	✓	✓	✓	✓	
<b>Quercus berberidifolia</b>	<b>SCRUB OAK</b>	<b>1</b>	<b>S</b>	✓	✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Quercus chrysolepis</b>	<b>CANYON LIVE OAK, MAUL OAK, GOLDCUP OAK</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Quercus douglasii</b>	<b>BLUE OAK</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Quercus dumosa</b>	<b>COASTAL SCRUB OAK</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Quercus durata</b>	<b>LEATHER OAK, NUTTALL'S SCRUB OAK</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Quercus engelmannii</b>	<b>ENGELMANN OAK, MESA OAK, PASADENA OAK</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Quercus garryana</b>	<b>OREGON WHITE OAK, GARRY OAK</b>	<b>2</b>	<b>T</b>	√	√	√	√	
<b>Quercus kelloggii</b>	<b>CALIFORNIA BLACK OAK</b>	<b>1</b>	<b>T</b>	√	√	√		
<b>Quercus lobata</b>	<b>VALLEY OAK, CALIFORNIA WHITE</b>	<b>1</b>	<b>T</b>	√		√	√	
<b>Quercus suber</b>	<b>CORK OAK</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Quercus tomentella</b>	<b>ISLAND OAK</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Quercus vaccinifolia</b>	<b>HUCKLEBERRY OAK</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Quercus wislizenii</b>	<b>INTERIOR LIVE OAK</b>	<b>1</b>	<b>T</b>			√	√	
<b>Quillaja saponaria</b>	<b>SOAPBARK TREE</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Ranunculus californicus</b>	<b>CALIFORNIA BUTTERCUP</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Raoulia australis</b>		<b>2</b>	<b>P</b>		√	√	√	
<b>Raoulia haastii</b>		<b>2</b>	<b>P</b>		√	√	√	
<b>Raoulia hookeri</b>		<b>2</b>	<b>P</b>		√	√	√	
<b>Raoulia lutescens</b>		<b>2</b>	<b>P</b>		√	√	√	
<b>Raoulia monroi</b>		<b>2</b>	<b>P</b>		√	√	√	
<b>Rhamnus alaternus</b>	<b>ITALIAN BUCKTHORN</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus alaternus 'Argenteo-variegata'</b>	<b>ITALIAN BUCKTHORN</b>	<b>1</b>	<b>S</b>		√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Rhamnus alaternus 'Variegata'</b>	<b>ITALIAN BUCKTHORN</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica 'Ed Holm'</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica 'Eve Case'</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica 'Leatherleaf'</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica 'Mound San Bruno'</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica 'Sea View'</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus californica ssp. crassifolia</b>	<b>COFFEEBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus crocea</b>	<b>REDBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus crocea ssp. ilicifolia</b>	<b>REDBERRY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhamnus purshiana</b>	<b>CASCARA, CHITTAM BARK</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Rhaphiolepis indica</b>	<b>INDIAN HAWTHORN</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rhaphiolepis umbellata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rhus integrifolia</b>	<b>LEMONADE BERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rhus ovata</b>	<b>SUGAR BUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rhus trilobata</b>	<b>SQUABUSH, SKUNKBUSH</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes aureum var. gracillimum</b>	<b>GOLDEN CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes bracteosum</b>	<b>STINK CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes californicum</b>	<b>HILLSIDE GOOSEBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes californicum var. hesperium</b>	<b>HILLSIDE GOOSEBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes cereum</b>	<b>WAX CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes divaricatum</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes indecorum</b>	<b>WHITE-FLOWERED CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes malvaceum</b>	<b>CHAPARRAL CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Ribes malvaceum 'Dancing Tassels'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes malvaceum var. viridifolium 'Ortega Ruby'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes menziesii var. leptosmum</b>	<b>CANYON GOOSEBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes quercetorum</b>	<b>OAK GOOSEBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum</b>	<b>RED-FLOWERED CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum 'Album'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum 'King Edward VII'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum 'Pulborough Scarlet'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum 'Claremont'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum 'Henry Henneman'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum 'Spring Showers'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum 'Strybing Pink'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes sanguineum var. glutinosum 'Tranquillon Ridge'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes speciosum</b>	<b>FUCHSIA-FLOWERED GOOSEBERRY</b> <b>CATALINA PERFUME, CATALINA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes viburnifolium</b>	<b>CURRENT, VIBURNUMLEAF CURRANT</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ribes viburnifolium 'Spooner's Mesa'</b>		<b>1</b>	<b>S</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Romneya coulteri</b>	<b>COULTER'S MATILIJA POPPY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Romneya trichocalyx</b>	<b>HAIRY MATILIJA POPPY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Romneya 'White Cloud'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rosa californica</b>	<b>CALIFORNIA ROSE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rosa gymnocarpa</b>	<b>WOOD ROSE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rosa woodsii var. gratissima</b>	<b>INTERIOR ROSE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rosa woodsii var. ultramontana</b>	<b>INTERIOR ROSE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Rosmarinus officinalis 'Barbecue'</b>	<b>ROSEMARY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Collingwood Ingram'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Foxtail'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Huntington Carpet'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Irene'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Ken Taylor'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Lockwood De Forest'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Miss Jessup's Upright'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Prostratus'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Spice Island'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis 'Tuscan Blue'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rosmarinus officinalis var. angustissimus 'Corsicus Prostratus'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Rudbeckia californica var. intermedia</b>	<b>CALIFORNIA CONE-FLOWER</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Ruscus aculeatus</b>	<b>BUTCHER'S BROOM</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Ruscus hypoglossum</b>	<b>BUTCHER'S BROOM</b>	<b>1</b>	<b>S</b>		√	√	√	



Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
Salvia 'Allen Chickering'		1	S	✓	✓	✓	✓	
Salvia apiana	WHITE SAGE	1	S	✓	✓	✓	✓	
Salvia apiana x leucophylla 'Desperado'		1	S	✓	✓	✓	✓	
Salvia 'Aromas'		1	S	✓	✓	✓	✓	
Salvia clevelandii	CLEVELAND'S SAGE	1	S	✓	✓	✓	✓	
Salvia clevelandii 'Allen Chickering'		1	S	✓	✓	✓	✓	
Salvia clevelandii 'Aromas'		1	S	✓	✓	✓	✓	
Salvia clevelandii 'Winifred Gillman'		1	S	✓	✓	✓	✓	
Salvia clevelandii 'Worley Blue'		1	S	✓	✓	✓	✓	
Salvia greggii	AUTUMN SAGE	1	S		✓	✓	✓	
Salvia greggii 'Coronado Pink'		1	S		✓	✓	✓	
Salvia greggii 'Gregg's Yellow'		1	S		✓	✓	✓	
Salvia greggii hybrid		1	S		✓	✓	✓	
Salvia leucophylla	PURPLE SAGE	1	S	✓	✓	✓	✓	
Salvia mellifera	BLACK SAGE	1	S	✓	✓	✓	✓	
Salvia mellifera hybrid		1	S	✓	✓	✓	✓	
Salvia munzii		1	S	✓	✓	✓	✓	
Salvia sonomensis	CREEPING SAGE	1	S	✓	✓	✓	✓	
Salvia sonomensis 'Dara's Choice'		1	S	✓	✓	✓	✓	
Salvia sonomensis 'Mrs. Beard'		1	S	✓	✓	✓	✓	
Salvia spathacea	HUMMINGBIRD SAGE	1	S	✓	✓	✓	✓	
Salvia spathacea 'Pilitas'		1	S	✓	✓	✓	✓	
Sambucus mexicana	BLUE ELDERBERRY	1	T	✓	✓	✓	✓	
Santolina chamaecyparissus	LAVENDER COTTON	1	S		✓	✓	✓	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Santolina chamaecyparissus 'Lemon Queen'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Santolina 'Little Nicky'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Santolina neapolitana</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Santolina rosmarinifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Santolina virens</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Sarcococca confusa</b>	<b>SWEET BOX</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Sarcococca hookeriana</b>	<b>SWEET BOX</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Sarcococca hookeriana var. humilis</b>	<b>SWEET BOX</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Sarcococca ruscifolia</b>	<b>SWEET BOX</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Sarcococca saligna</b>	<b>SWEET BOX</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Satureja douglasii</b>	<b>YERBA BUENA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Scaevola aemula 'Blue Wonder'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola aemula 'Bombay Pink'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola aemula 'New Fan'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola aemula 'White Fan'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola calendulacea</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola crassifolia</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola 'Mauve Clusters'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scaevola 'Mini Pink'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Scrophularia californica</b>	<b>CALIFORNIA FIGWORT</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Scrophularia macrantha</b>	<b>REDBIRDS IN A TREE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Sedum anglicum</b>	<b>STONECROP</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Sedum brevifolium</b>	<b>STONECROP</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Sedum dendroideum</b>		<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Sedum spathulifolium</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sedum spathulifolium 'Cape Blanco'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sedum spathulifolium 'Carnea'</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sedum spectabile 'Brilliant'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Selaginella bigelovii</b>	<b>SPIKE-MOSS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Senecio cineraria</b>	<b>DUSTY MILLER</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Senecio mandraliscae</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Silene californica</b>	<b>CALIFORNIA INDIAN PINK</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Simmondsia chinensis</b>	<b>JOJOBA, GOATNUT</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sisyrinchium bellum</b>	<b>BLUE-EYED GRASS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sisyrinchium bellum 'Point Reyes'</b>	<b>BLUE-EYED GRASS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sisyrinchium bellum 'Rocky Point'</b>	<b>BLUE-EYED GRASS</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Solanum wallacei</b>	<b>WALLACE'S NIGHTSHADE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Solanum xanti var. obispoense 'Navajo Creek'</b>	<b>CHAPARRAL NIGHTSHADE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Solanum xantii 'Salmon Creek'</b>	<b>CHAPARRAL NIGHTSHADE</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Solidago californica</b>	<b>CALIFORNIA GOLDENROD</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Solidago confinis</b>	<b>SOUTHERN GOLDENROD</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sollya heterophylla</b>	<b>AUSTRALIAN BLUEBELL CREEPER</b> <b>MESCAL BEAN, TEXAS MOUNTAIN</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Sophora secundiflora</b>	<b>LAUREL</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Sphaeralcea ambigua 'Louis Hamilton'</b>	<b>APRICOT MALLOW, DESERT MALLOW</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Sphaeralcea incana</b>	<b>ORANGE MALLOW</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Sporobolus airoides</b>	<b>AKALI SACATON</b>	<b>1</b>	<b>P</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Stachys byzantina</b>	<b>LAMB'S EAR</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Stachys byzantina 'Silver Carpet'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Stenocarpus sinuatus</b>	<b>FIREWHEEL TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Stenocereus thurberi</b>	<b>ORGANPIPE CACTUS</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Symphoricarpos albus var. laevigatus</b>	<b>COMMON SNOWBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Symphoricarpos mollis</b>	<b>CREEPING SNOWBERRY</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Syringa x persica</b>	<b>PERSIAN LILAC</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Tagetes lemmonii</b>	<b>MOUNTAIN MARIGOLD</b>	<b>2</b>	<b>S</b>		√	√	√	
<b>Tecomaria capensis</b>	<b>CAPE HONEYSUCKLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Tecomaria capensis 'Aurea'</b>	<b>YELLOW CAPE HONEYSUCKLE</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium chamaedrys</b>	<b>GERMANDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium chamaedrys 'Summer Sunshine'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium fruticans</b>	<b>BUSH GERMANDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium fruticans 'Compacta'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium lucidrys hybrid</b>	<b>GERMANDER</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium marum</b>	<b>CAT THYME</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium pyrenaicum</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Teucrium scorodonia 'Crispum Marginatum'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Thymus 'All Gold'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus broussonetii</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus camphoratus</b>	<b>CAMPHOR THYME</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus hirsutus</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus praecox ssp. arcticus 'Minus'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus pseudolanuginosus</b>		<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
	<b>MOTHER-OF-THYME, CREEPING</b>							
<b>Thymus serpyllum</b>	<b>THYME</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus serpyllum 'Minor'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus serpyllum var. album</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus 'Victor Reiter'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus vulgaris 'Aureus'</b>	<b>COMMON THYME</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Thymus x citriodorus 'Variegatus'</b>	<b>LEMON THYME</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Trachelospermum jasminoides</b>	<b>STAR JASMINE</b>	<b>2</b>	<b>S</b>		√	√		
<b>Trichostema lanatum</b>	<b>WOOLLY BLUE CURLS</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Trichostema lanatum 'Salmon Creek'</b>		<b>1</b>	<b>S</b>	√	√	√	√	
<b>Trillium chloropetalum</b>	<b>WAKE ROBIN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Trillium ovatum</b>	<b>WAKE ROBIN</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Tristaniopsis laurina</b>		<b>2</b>	<b>T</b>		√	√	√	
<b>Tulbaghia fragrans</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Tulbaghia fragrans 'Alba'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Tulbaghia violacea</b>	<b>SOCIETY GARLIC</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Tulbaghia violacea 'Silver Lace'</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Umbellularia californica</b>	<b>CALIFORNIA BAY, CALIFORNIA</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Vaccinium ovatum</b>	<b>EVERGREEN HUCKLEBERRY</b>	<b>1</b>	<b>S</b>	√	√			
<b>Vaccinium parvifolium</b>	<b>RED HUCKLEBERRY</b>	<b>1</b>	<b>S</b>	√	√			
<b>Vancouveria hexandra</b>		<b>1</b>	<b>P</b>	√	√	√	√	
<b>Vancouveria planipetala</b>	<b>INSIDE-OUT FLOWER</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Vauquelinia californica</b>	<b>ARIZONA ROSEWOOD</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Verbena gooddingii</b>		<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Verbena lilacina</b>	<b>CEDROS ISLAND VERBENA</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Verbena peruviana</b>		<b>1</b>	<b>P</b>		√	√	√	
<b>Veronica liwanensis</b>	<b>SPEEDWELL</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Veronica pectinata</b>	<b>SPEEDWELL</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Veronica prostrata</b>	<b>SPEEDWELL</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Veronica repens</b>	<b>SPEEDWELL</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Viguiera deltoidea</b>	<b>GOLDENEYE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Viguiera multiflora</b>	<b>GOLDENEYE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Vitex agnus-castus</b>	<b>CHASTE TREE</b>	<b>2</b>	<b>T</b>		√	√	√	
<b>Vitis californica</b>	<b>CALIFORNIA WILD GRAPE</b>	<b>1</b>	<b>V</b>	√		√	√	
<b>Vitis californica 'Rodger's Red'</b>	<b>RED-LEAVED CALIFORNIA WILD</b>	<b>1</b>	<b>V</b>	√		√	√	
<b>Vitis girdiana</b>	<b>WILD GRAPE</b>	<b>1</b>	<b>V</b>	√	√	√	√	
<b>Westringia longifolia</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Westringia rosmariniformis</b>	<b>COAST ROSEMARY</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Westringia 'Wynabbie Gem'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Wisteria floribunda 'Alba'</b>	<b>JAPANESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Wisteria floribunda 'Kyushaku'</b>	<b>JAPANESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Wisteria floribunda 'Longissima'</b>	<b>JAPANESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Wisteria floribunda 'Longissima Alba'</b>	<b>JAPANESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Wisteria floribunda 'Rosea'</b>	<b>JAPANESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>Wisteria sinensis 'Cooke's Purple'</b>	<b>CHINESE WISTERIA</b>	<b>1</b>	<b>V</b>		√	√	√	
<b>X Halimocistus sahuicii</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>X Halimocistus wintonensis</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Xanthorrhoea australis ssp. australis</b>	<b>GRASS TREE</b>	<b>1</b>	<b>P</b>		√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Xanthorrhoea fulva</b>	<b>GRASS TREE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Xanthorrhoea preissii</b>	<b>GRASS TREE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Xanthorrhoea quadrangulata</b>	<b>GRASS TREE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Xanthorrhoea semiplana</b>	<b>GRASS TREE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Xylococcus bicolor</b>	<b>MISSION MANZANITA</b>	<b>1</b>	<b>S</b>	√	√	√	√	
<b>Xylosma flexuosa</b>	<b>XYLOSMA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Xylosma heterophylla</b>	<b>XYLOSMA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Xylosma quichense</b>	<b>XYLOSMA</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca aloifolia</b>	<b>SPANISH BAYONET</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca aloifolia 'Marginata'</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca aloifolia var. variegata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca baccata</b>	<b>BANANA YUCCA, DATIL</b>	<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca brevifolia</b>	<b>JOSHUA TREE</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Yucca elata</b>	<b>SOAPTREE YUCCA</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Yucca elephantipes</b>	<b>GIANT YUCCA</b>	<b>1</b>	<b>T</b>		√	√	√	
<b>Yucca filamentosa</b>	<b>ADAM'S NEEDLE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Yucca filamentosa 'Bright Edge'</b>	<b>ADAM'S NEEDLE</b>	<b>1</b>	<b>P</b>		√	√	√	
<b>Yucca recurvifolia (Y. pendula)</b>		<b>2</b>	<b>S</b>		√	√	√	
<b>Yucca rostrata</b>		<b>1</b>	<b>S</b>		√	√	√	
<b>Yucca whipplei</b>	<b>OUR LORD'S CANDLE</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Zanthoxylum piperitum</b>	<b>JAPAN PEPPER</b>	<b>1</b>	<b>T</b>	√	√	√	√	
<b>Zauschneria arizonica</b>	<b>ARIZONA FUCHSIA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Zauschneria californica</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	√	√	√	√	
<b>Zauschneria californica 'Brilliant Smith'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	√	√	√	√	

Species or Cultivar	Common name	Irrigation Requirement (1)	Type (2)	Native	Coastal	Peninsula	East Bay	Salinity Tolerance (3)
<b>Zauschneria californica 'Solidarity Pink'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria californica ssp. latifolia</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria cana</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria cana 'Glasnevin'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria 'Hurricane Point'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria mattole river</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria 'Scheffelin's Form'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zauschneria septentrionalis 'Select Mattole'</b>	<b>CALIFORNIA FUCHSIA</b>	<b>1</b>	<b>P</b>	✓	✓	✓	✓	
<b>Zelkova serrata</b>	<b>SAWLEAF ZELKOVA</b>	<b>1</b>	<b>T</b>		✓	✓	✓	

Key (1) 1=Least 2=Intermediate 3=Most (2) P=Perennial; S=Shrub; T=Tree (3) L=Low; M=Medium; H=High